

Cumulative author index, *Stata Journal* Volumes 1–6 (2001–2006)

Produced by RePEc (<http://repec.org>)

December 2, 2006

A

- Abadie, Alberto (2004) “Implementing matching estimators for average treatment effects in Stata”, **4:3** 290–311.
- Ai, Chunrong (2004): see Norton, Edward C. **4:2** (2004) 154–167.
- Alexandersson, Anders (2004) “Graphing confidence ellipses: An update of ellip for Stata 8”, **4:3** 242–256.
- Allard, Scott W. (2006) “Review of A Stata Companion to Political Analysis by Pollock”, **6:4** 584–587.
- Anagnoson, J. Theodore (2005) “The history of StataQuest”, **5:1** 41–42.
- Andrews, Martyn (2006) “Practical fixed-effects estimation methods for the three-way error-components model”, **6:4** 461–481.
- Archer, Kellie J. (2006) “Goodness-of-fit test for a logistic regression model fitted using survey sample data”, **6:1** 97–105.
- Audige, Laurent (2004) “Review of Veterinary Epidemiologic Research by Dohoo, Martin and Stryhn”, **4:1** 89–92.

B

- Babiker, Abdel (2002): see Royston, Patrick **2:2** (2002) 151–163.
- Babiker, Abdel (2002): see White, Ian R. **2:2** (2002) 140–150.
- Babiker, Abdel (2005): see Barthel, Friederike M.-S. **5:1** (2005) 123–129.
- Barrett, Jennifer H. (2003): see Saunders, Catherine L. **3:1** (2003) 47–56.
- Barthel, Friederike M.-S. (2005) “A menu-driven facility for complex sample size calculation in randomized controlled trials with a survival or a binary outcome: Update”, **5:1** 123–129.
- Barthel, Friederike Maria-Sophie (2006) “Graphical representation of interactions”, **6:3** 348–363.

- Bartus, Tamás (2005) “Estimation of marginal effects using `margeff`”, **5:3** 309–329.
- Basu, Anirban (2005) “Extended generalized linear models: Simultaneous estimation of flexible link and variance functions”, **5:4** 501–516.
- Baum, Christopher F (2001) “Residual diagnostics for cross-section time series regression models”, **1:1** 101–104.
- Baum, Christopher F (2003) “Instrumental variables and GMM: Estimation and testing”, **3:1** 1–31.
- Baum, Christopher F (2005) “Stata: The language of choice for time-series analysis?”, **5:1** 46–63.
- Baum, Christopher F (2006) “Cumulative author index, volumes 1-6”, **6:4** .
- Baum, Christopher F (2006) “Stata tip 37: And the last shall be first”, **6:4** 588–589.
- Baum, Christopher F (2006) “Stata tip 38: Testing for groupwise heteroskedasticity”, **6:4** 590–592.
- Becker, Sascha O. (2002) “Estimation of average treatment effects based on propensity scores”, **2:4** 358–377.
- Becketti, Sean (2005) “In at the creation”, **5:1** 32–34.
- Bellocco, Rino (2005) “Review of Statistics for Epidemiology by Jewell”, **5:3** 461–464.
- Bellocco, Rino (2006): see Orsini, Nicola **6:1** (2006) 40–57.
- Bishop, D. Timothy (2003): see Saunders, Catherine L. **3:1** (2003) 47–56.
- Blackwell III, J. Lloyd (2005) “Estimation and testing of fixed-effect panel-data systems”, **5:2** 202–207.
- Boggess, May (2004): see Coviello, Vincenzo **4:2** (2004) 103–112.
- Bottai, Matteo (2004) “Confidence intervals for the variance component of random-effects linear models”, **4:4** 429–435.
- Brady, Anthony R. (2004): see Harrison, David A. **4:2** (2004) 142–153.
- Braumoeller, Bear F. (2004) “Boolean logit and probit in Stata”, **4:4** 436–441.
- Bruno, Giovanni S. F. (2005) “Estimation and inference in dynamic unbalanced panel-data models with a small number of individuals”, **5:4** 473–500.
- Brzinsky-Fay, Christian (2005): see Kohler, Ulrich **5:4** (2005) 601–602.
- Brzinsky-Fay, Christian (2006) “Sequence analysis with Stata”, **6:4** 435–460.

C

- Cappellari, Lorenzo (2003) “Multivariate probit regression using simulated maximum likelihood”, **3:3** 278–294.

- Cappellari, Lorenzo (2006) “Calculation of multivariate normal probabilities by simulation, with applications to maximum simulated likelihood estimation”, **6:2** 156–189.
- Carlin, John (2004): see Vidmar, Suzanna **4:1** (2004) 50–55.
- Carlin, John (2006) “Review of An Introduction to Stata for Health Researchers by Juul”, **6:4** 580–583.
- Carlin, John B. (2003) “Tools for analyzing multiple imputed datasets”, **3:3** 226–244.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 329–341.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 342–350.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 351–360.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 361–372.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 373–385.
- Chen, Xiao (2005): see Mitchell, Michael N. **5:1** (2005) 64–82.
- Choi, Hyon (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Cleves, Mario A. (2002) “Comparative assessment of three common algorithms for estimating the variance of the area under the nonparametric receiver operating characteristic curve”, **2:3** 280–289.
- Cleves, Mario A. (2002) “From the help desk: Comparing areas under receiver operating characteristic curves from two or more probit or logit models”, **2:3** 301–313.
- Cleves, Mario A. (2005) “Exploratory analysis of single nucleotide polymorphism (SNP) for quantitative traits”, **5:2** 141–153.
- Coffey, Carolyn (2003): see Carlin, John B. **3:3** (2003) 226–244.
- Cole, Tim (2004): see Vidmar, Suzanna **4:1** (2004) 50–55.
- Conroy, Ronán M. (2002) “Choosing an appropriate real-life measure of effect size: the case of a continuous predictor and a binary outcome”, **2:3** 290–295.
- Conroy, Ronán M. (2005) “Stings in the tails: Detecting and dealing with censored data”, **5:3** 395–404.
- Coviello, Vincenzo (2004) “Cumulative incidence estimation in the presence of competing risks”, **4:2** 103–112.
- Cox, Nicholas J. (2001) “Speaking Stata: How to repeat yourself without going mad”, **1:1** 86–97.
- Cox, Nicholas J. (2002) “Speaking Stata: How to face lists with fortitude”, **2:2** 202–222.
- Cox, Nicholas J. (2002) “Speaking Stata: How to move step by: step”, **2:1** 86–102.

- Cox, Nicholas J. (2002) “Speaking Stata: On getting functions to do the work”, **2:4** 411–427.
- Cox, Nicholas J. (2002) “Speaking Stata: On numbers and strings”, **2:3** 314–329.
- Cox, Nicholas J. (2002): see Steichen, Thomas J. **2:2** (2002) 183–189.
- Cox, Nicholas J. (2003) “Speaking Stata: On structure and shape: the case of multiple responses”, **3:1** 81–99.
- Cox, Nicholas J. (2003) “Speaking Stata: Problems with lists”, **3:2** 185–202.
- Cox, Nicholas J. (2003) “Speaking Stata: Problems with tables, Part I”, **3:3** 309–324.
- Cox, Nicholas J. (2003) “Speaking Stata: Problems with tables, Part II”, **3:4** 420–439.
- Cox, Nicholas J. (2003) “Stata tip 2: Building with floors and ceilings”, **3:4** 446–447.
- Cox, Nicholas J. (2003): see Newton, H. Joseph **3:2** (2003) 105–108.
- Cox, Nicholas J. (2003): see Smeeton, Nigel **3:3** (2003) 270–277.
- Cox, Nicholas J. (2004) “Review of Statistical Evaluation of Measurement Errors by Dunn”, **4:4** 480–483.
- Cox, Nicholas J. (2004) “Speaking Stata: Graphing agreement and disagreement”, **4:3** 329–349.
- Cox, Nicholas J. (2004) “Speaking Stata: Graphing categorical and compositional data”, **4:2** 190–213.
- Cox, Nicholas J. (2004) “Speaking Stata: Graphing distributions”, **4:1** 66–88.
- Cox, Nicholas J. (2004) “Speaking Stata: Graphing model diagnostics”, **4:4** 449–475.
- Cox, Nicholas J. (2004) “Stata tip 12: Tuning the plot region aspect ratio”, **4:3** 357–358.
- Cox, Nicholas J. (2004) “Stata tip 15: Function graphs on the fly”, **4:4** 488–489.
- Cox, Nicholas J. (2004) “Stata tip 6: Inserting awkward characters in the plot”, **4:1** 95–96.
- Cox, Nicholas J. (2004) “Stata tip 9: Following special sequences”, **4:2** 223.
- Cox, Nicholas J. (2005) “A brief history of Stata on its 20th anniversary”, **5:1** 2–18.
- Cox, Nicholas J. (2005) “Speaking Stata: Density probability plots”, **5:2** 259–273.
- Cox, Nicholas J. (2005) “Speaking Stata: Smoothing in various directions”, **5:4** 574–593.

- Cox, Nicholas J. (2005) “Speaking Stata: The protean quantile plot”, **5:3** 442–460.
- Cox, Nicholas J. (2005) “Stata tip 17: Filling in the gaps”, **5:1** 135–136.
- Cox, Nicholas J. (2005) “Stata tip 21: The arrows of outrageous fortune”, **5:2** 282–284.
- Cox, Nicholas J. (2005) “Stata tip 24: Axis labels on two or more levels”, **5:3** 469.
- Cox, Nicholas J. (2005) “Stata tip 27: Classifying data points on scatter plots”, **5:4** 604–606.
- Cox, Nicholas J. (2005) “Suggestions on Stata programming style”, **5:4** 560–566.
- Cox, Nicholas J. (2005): see Kantor, David **5:3** (2005) 413–420.
- Cox, Nicholas J. (2005): see Newton, H. Joseph **5:3** (2005) 287.
- Cox, Nicholas J. (2005): see Royston, Patrick **5:3** (2005) 405–412.
- Cox, Nicholas J. (2006) “Speaking Stata: Graphs for all seasons”, **6:3** 397–419.
- Cox, Nicholas J. (2006) “Speaking Stata: In praise of trigonometric predictors”, **6:4** 561–579.
- Cox, Nicholas J. (2006) “Speaking Stata: Time of day”, **6:1** 124–137.
- Cox, Nicholas J. (2006) “Stata tip 30: May the source be with you”, **6:1** 149–150.
- Cox, Nicholas J. (2006) “Stata tip 33: Sweet sixteen: Hexadecimal formats and precision problems”, **6:2** 282–283.
- Cox, Nicholas J. (2006) “Stata tip 36: Which observations? Erratum”, **6:4** 596.
- Cox, Nicholas J. (2006) “Stata tip 36: Which observations?”, **6:3** 430–432.
- Cox, Nicholas J. (2006) “Stata tip 39: In a list or out? In a range or out?”, **6:4** 593–595.
- Cui, James (2005) “Buckley-James method for analyzing censored data, with an application to a cardiovascular disease and an HIV/AIDS study”, **5:4** 517–526.
- Cummings, Peter (2004) “Analysis of matched cohort data”, **4:3** 274–281.

D

- Deb, Partha (2006) “Maximum simulated likelihood estimation of a negative binomial regression model with multinomial endogenous treatment”, **6:2** 246–255.

- Driver, Shannon (2004) “Stata tip 7: Copying and pasting under Windows”, **4:2** 220.
- Driver, Shannon (2005) “Stata tip 18: Making keys functional”, **5:1** 137–138.
- Drukker, David (2004): see Abadie, Alberto **4:3** (2004) 290–311.
- Drukker, David M. (2002) “Bootstrapping a conditional moments test for normality after tobit estimation”, **2:2** 125–139.
- Drukker, David M. (2003) “Testing for serial correlation in linear panel-data models”, **3:2** 168–177.
- Drukker, David M. (2006) “Generating Halton sequences using Mata”, **6:2** 214–228.
- Drukker, David M. (2006) “Importing Federal Reserve economic data”, **6:3** 384–386.
- Drukker, David M. (2006) “Maximum simulated likelihood: Introduction to a special issue”, **6:2** 153–155.
- Dupont, William D. (2005) “Using density-distribution sunflower plots to explore bivariate relationships in dense data”, **5:3** 371–384.

E

- Elo, Irma (2003): see Rodriguez, German **3:1** (2003) 32–46.

F

- Feiveson, A. H. (2002) “Power by simulation”, **2:2** 107–124.
- Fenty, Justin (2004) “Analyzing distances”, **4:1** 1–26.
- Fewell, Zoe (2004) “Controlling for time-dependent confounding using marginal structural models”, **4:4** 402–420.
- Fiorio, Carlo V. (2004) “Confidence intervals for kernel density estimation”, **4:2** 168–179.
- Franklin, Charles H. (2006) “Stata tip 29: For all times and all places”, **6:1** 147–148.
- Freese, Jeremy (2001): see Long, J. Scott **1:1** (2001) 51–57.
- Freese, Jeremy (2002) “Least likely observations in regression models for categorical outcomes”, **2:3** 296–300.
- Freese, Jeremy (2002) “Review of Statistics with Stata (Updated for Version 7)”, **2:2** 223–225.

G

- Garrett, Joanne M. (2003) “Review of Statistical Modeling for Biomedical Researchers by Dupont”, **3:2** 203–207.
- Gates, Richard (2006) “A Mata Geweke-Hajivassiliou-Keane multivariate normal simulator”, **6:2** 190–213.

- Gates, Richard (2006): see Drukker, David M. **6:2** (2006) 214–228.
- Gini, Rosa (2006) “Automatic generation of documents”, **6:1** 22–39.
- Gould, William (2001) “Statistical software certification”, **1:1** 29–50.
- Gould, William (2003) “Stata tip 3: How to be assertive”, **3:4** 448.
- Gould, William (2005) “Mata Matters: Using views onto the data”, **5:4** 567–573.
- Gould, William (2005) “Mata matters: Translating Fortran”, **5:3** 421–441.
- Gould, William (2006) “Mata Matters: Creating new variables—sounds boring, isn’t”, **6:1** 112–123.
- Gould, William (2006) “Mata Matters: Interactive use”, **6:3** 387–396.
- Gould, William (2006) “Mata Matters: Precision”, **6:4** 550–560.
- Gould, William (2006) “Stata tip 35: Detecting whether data have changed”, **6:3** 428–429.
- Greenland, Sander (2006): see Orsini, Nicola **6:1** (2006) 40–57.
- Greenwood, Philip (2003): see Carlin, John B. **3:3** (2003) 226–244.
- Guan, Weihua (2002) “Programmable GLM: Two user-defined links”, **2:4** 378–390.
- Guan, Weihua (2003) “From the help desk: Bootstrapped standard errors”, **3:1** 71–80.
- Guimaraes, Paulo (2004) “Understanding the multinomial-Poisson transformation”, **4:3** 265–273.
- Guimaraes, Paulo (2005) “A simple approach to fit the beta-binomial model”, **5:3** 385–394.
- Gutierrez, Roberto G. (2002) “Parametric frailty and shared frailty survival models”, **2:1** 22–44.
- Gutierrez, Roberto G. (2002): see Guan, Weihua **2:4** (2002) 378–390.
- Gutierrez, Roberto G. (2003) “From the help desk: Local polynomial regression and Stata plugins”, **3:4** 412–419.

H

- Haan, Peter (2006) “Estimation of multinomial logit models with unobserved heterogeneity using maximum”, **6:2** 229–245.
- Hailpern, Susan M. (2003) “Odds ratios and logistic regression: further examples of their use and interpretation”, **3:3** 213–225.
- Hailpern, Susan M. (2005) “Teaching statistics to physicians using Stata”, **5:2** 248–258.
- Hamilton, Lawrence (2005) “A short history of Statistics with Stata”, **5:1** 35–37.

- Hanson, Michael S. (2005) “Stata tip 26: Maximizing compatibility between”, **5:4** 603.
- Harbord, Roger M. (2004): see Sterne, Jonathan A.C. **4:2** (2004) 127–141.
- Hardin, James W. (2002) “The robust variance estimator for two-stage models”, **2:3** 253–266.
- Hardin, James W. (2003) “Instrumental variables, bootstrapping, and generalized linear models”, **3:4** 351–360.
- Hardin, James W. (2003) “Measurement error, GLMs, and notational conventions”, **3:4** 329–341.
- Hardin, James W. (2003) “The regression-calibration method for fitting generalized linear models with additive measurement error”, **3:4** 361–372.
- Hardin, James W. (2003) “The regression-calibration method for fitting generalized linear models with additive measurement error”, **3:4** 373–385.
- Hardin, James W. (2003) “Variance estimation for the instrumental variables approach to measurement error in generalized linear models”, **3:4** 342–350.
- Harrison, David A. (2004) “Sample size and power calculations using the noncentral t-distribution”, **4:2** 142–153.
- Harrison, David A. (2005) “Stata tip 20: Generating histogram bin variables”, **5:2** 280–281.
- Harrison, David A. (2006) “Stata tip 34: Tabulation by listing”, **6:3** 425–427.
- Hassell, James (2004): see Linhart, Jean Marie **4:1** (2004) 56–65.
- Heiss, Florian (2002) “Structural choice analysis with nested logit models”, **2:3** 227–252.
- Hendrickx, John (2002) “Review of Regression Models for Categorical Dependent Variables Using Stata by Long and Freese”, **2:1** 103–105.
- Hernán, Miguel A. (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Herr, Jane Leber (2004): see Abadie, Alberto **4:3** (2004) 290–311.
- Hesketh, Kylie (2004): see Vidmar, Suzanna **4:1** (2004) 50–55.
- Higbee, Kenneth (2004) “Stata tip 14: Using value labels in expressions”, **4:4** 486–487.
- Hilbe, Joseph M. (2005) “The birth of the bulletin”, **5:1** 39–40.
- Hole, Arne Risa (2006) “Calculating Murphy-Topel variance estimates in Stata: A simplified procedure”, **6:4** 521–529.
- Hosmer, David W. (2002) “Review of An Introduction to Survival Analysis Using Stata”, **2:4** 428–431.
- Hosmer, David W. (2002) “Using Aalen’s linear hazards model to investigate time-varying effects in the proportional hazards regression model”, **2:4** 331–350.

Hoyos, Rafael E. De (2006) “Testing for cross-sectional dependence in panel-data models”, **6**:4 482–496.

I

Ichino, Andrea (2002): see Becker, Sascha O. **2**:4 (2002) 358–377.

Imbens, Guido W. (2004): see Abadie, Alberto **4**:3 (2004) 290–311.

J

Jann, Ben (2004) “Stata tip 8: Splitting time-span records with categorical time-varying covariates”, **4**:2 221–222.

Jann, Ben (2005) “Making regression tables from stored estimates”, **5**:3 288–308.

Jann, Ben (2005) “Tabulation of multiple responses”, **5**:1 93–122.

Jenkins, Stephen P. (2001): see Kerm, Philippe Van **1**:1 (2001) 107–112.

Jenkins, Stephen P. (2003) “Review of Maximum Likelihood Estimation with Stata by Gould, Pitblado, and Sribney”, **3**:4 440–444.

Jenkins, Stephen P. (2003): see Cappellari, Lorenzo **3**:3 (2003) 278–294.

Jenkins, Stephen P. (2006) “Stata tip 32: Do not stop”, **6**:2 281.

Jenkins, Stephen P. (2006): see Cappellari, Lorenzo **6**:2 (2006) 156–189.

Jr., W. Dale Plummer, (2005): see Dupont, William D. **5**:3 (2005) 371–384.

Juul, Svend (2003) “Lean mainstream schemes for Stata 8 graphics”, **3**:3 295–301.

K

Kantor, David (2005) “Depending on conditions: a tutorial on the cond() function”, **5**:3 413–420.

Kerm, Philippe Van (2001) “Generalized Lorenz curves and related graphs: an update for Stata 7”, **1**:1 107–112.

Kerm, Philippe Van (2003) “Adaptive kernel density estimation”, **3**:2 148–156.

Keshk, Omar M. G. (2003) “CDSIMEQ: A program to implement two-stage probit least squares”, **3**:2 157–167.

Kim, Lois G. (2004) “Compliance-adjusted intervention effects in survival data”, **4**:3 257–264.

Kohler, Ulrich (2003): see Cox, Nicholas J. **3**:1 (2003) 81–99.

Kohler, Ulrich (2004) “Review of A Visual Guide to Stata Graphics by Mitchell”, **4**:4 476–479.

Kohler, Ulrich (2005) “Data inspection using biplots”, **5**:2 208–233.

Kohler, Ulrich (2005) “Stata tip 16: Using input to generate variables”, **5**:1 134.

- Kohler, Ulrich (2005) “Stata tip 25: Sequence index plots”, **5:4** 601–602.
Kohler, Ulrich (2006): see Brzinsky-Fay, Christian **6:4** (2006) 435–460.
Kolev, Gueorgui I. (2006) “Stata tip 31: Scalar or variable? The problem of ambiguous names”, **6:2** 279–280.

L

- Lachenbruch, Tony (2005) “Memories of Stata”, **5:1** 38.
Lemeshow, Stanley (2005) “Review of Regression Methods in Biostatistics: Linear, Logistic, Survival, and Repeated Measures Models by Vittinghoff, Glidden, Shiboski, and McCulloch”, **5:2** 274–278.
Lemeshow, Stanley (2006): see Archer, Kellie J. **6:1** (2006) 97–105.
Leon, Antonio Ponce de (2002): see Reichenheim, Michael E. **2:3** (2002) 267–279.
Levinsohn, James (2004): see Petrin, Amil **4:2** (2004) 113–123.
Li, Ning (2003): see Carlin, John B. **3:3** (2003) 226–244.
Linhart, Jean Marie (2003): see Gutierrez, Roberto G. **3:4** (2003) 412–419.
Linhart, Jean Marie (2004) “From the help desk: Kaplan-Meier plots with stsatrisk”, **4:1** 56–65.
Lokshin, Michael (2004) “Maximum likelihood estimation of endogenous switching regression models”, **4:3** 282–289.
Lokshin, Michael (2006) “Difference-based semiparametric estimation of partial linear regression models”, **6:3** 377–383.
Long, J. Scott (2001) “Predicted probabilities for count models”, **1:1** 51–57.
Long, J. Scott (2005): see Xu, Jun **5:4** (2005) 537–559.
Lopez-Feldman, Alejandro (2006) “Decomposing inequality and obtaining marginal effects”, **6:1** 106–111.
Luniak, Magdalena (2005): see Kohler, Ulrich **5:2** (2005) 208–233.
Luniak, Magdalena (2006): see Brzinsky-Fay, Christian **6:4** (2006) 435–460.

M

- Mander, A. P. (2001) “Haplotype analysis in population-based association studies”, **1:1** 58–75.
Mander, A. P. (2002) “Analysis of quantitative traits using regression and log-linear modeling when phase is unknown”, **2:1** 65–70.
Marchenko, Yulia (2006) “Estimating variance components in Stata”, **6:1** 1–21.
McDowell, Allen (2001) “From the help desk”, **1:1** 76–85.
McDowell, Allen (2002) “From the help desk: It’s all about the sampling”, **2:2** 190–201.

- McDowell, Allen (2002) “From the help desk: Transfer functions”, **2:1** 71–85.
- McDowell, Allen (2003) “From the help desk: hurdle models”, **3:2** 178–184.
- McDowell, Allen (2004) “From the help desk: Polynomial distributed lag models”, **4:2** 180–189.
- McDowell, Allen (2004) “From the help desk: Seemingly unrelated regression with unbalanced equations”, **4:4** 442–448.
- McGready, John (2003) “Review of A Short Introduction to Stata For Biostatistics by Hills and De Stavola”, **3:1** 100–104.
- McKnight, Barbara (2004): see Cummings, Peter **4:3** (2004) 274–281.
- Mikusheva, Anna (2006) “Tests and confidence sets with correct size when instruments are potentially weak”, **6:3** 335–347.
- Miranda, Alfonso (2004) “FIML estimation of an endogenous switching model for count data”, **4:1** 40–49.
- Miranda, Alfonso (2006) “Maximum likelihood estimation of endogenous switching and sample selection models for binary, ordinal, and count variables”, **6:3** 285–308 .
- Mitchell, Michael N. (2005) “Visualizing main effects and interactions for binary logit models”, **5:1** 64–82.
- Moreira, Marcelo J. (2003) “Implementing tests with correct size in the simultaneous equations model”, **3:1** 57–70.
- Moreno, Santiago (2006): see Thompson, John **6:4** (2006) 530–549.
- Mulcahy, Michael (2006) “Review of A Gentle Introduction to Stata by Acock”, **6:3** 420–424.
- Mller, Daniel (2005) “Stata in space: Econometric analysis of spatially explicit raster data”, **5:2** 224–238.

N

- Nante, Nicola (2005): see Orsini, Nicola **5:3** (2005) 355–370.
- Newson, Roger (2001) “Review of Generalized Linear Models and Extensions by Hardin and Hilbe”, **1:1** 98–100.
- Newson, Roger (2002) “Parameters behind ”nonparametric” statistics: Kendall’s tau, Somers’ D and median differences”, **2:1** 45–64.
- Newson, Roger (2003) “Confidence intervals and p-values for delivery to the end user”, **3:3** 245–269.
- Newson, Roger (2003) “Multiple-test procedures and smile plots”, **3:2** 109–132.
- Newson, Roger (2003) “Stata tip 1: The eform() option of regress”, **3:4** 445.

- Newson, Roger (2004) “Generalized power calculations for generalized linear models and more”, **4:4** 379–401.
- Newson, Roger (2004) “Stata tip 13: generate and replace use the current sort order”, **4:4** 484–485.
- Newson, Roger (2004) “Stata tip 5: Ensuring programs preserve dataset sort order”, **4:1** 94.
- Newson, Roger (2005) “Review of Generalized Latent Variable Modeling by Skrondal and Rabe-Hesketh”, **5:1** 130–133.
- Newson, Roger (2006) “Confidence intervals for rank statistics: Percentile slopes, differences, and ratios”, **6:4** 497–520.
- Newson, Roger (2006) “Confidence intervals for rank statistics: Somers’ D and extensions”, **6:3** 309–334.
- Newton, H. Joseph (2003) “The Stata Journal so far: Editors’ report”, **3:2** 105–108.
- Newton, H. Joseph (2005) “A conversation with William Gould”, **5:1** 19–31.
- Newton, H. Joseph (2005) “Editorial Announcements”, **5:3** 287.
- Norton, Edward C. (2004) “Computing interaction effects and standard errors in logit and probit models”, **4:2** 154–167.

O

- Orsini, Nicola (2004): see Bottai, Matteo **4:4** (2004) 429–435.
- Orsini, Nicola (2005) “Introduction to game-theory calculations”, **5:3** 355–370.
- Orsini, Nicola (2006) “Generalized least squares for trend estimation of summarized dose-response data”, **6:1** 40–57.

P

- Palmer, Tom (2006): see Thompson, John **6:4** (2006) 530–549.
- Pasquini, Jacopo (2006): see Gini, Rosa **6:1** (2006) 22–39.
- Perez-Hernandez, Marco A. (2003): see Salgado-Ugarte, Isaias H. **3:2** (2003) 133–147.
- Petrin, Amil (2004) “Production function estimation in Stata using inputs to control for unobservables”, **4:2** 113–123.
- Pickles, Andrew (2002): see Rabe-Hesketh, Sophia **2:1** (2002) 1–21.
- Pickles, Andrew (2003): see Rabe-Hesketh, Sophia **3:4** (2003) 386–411.
- Pisati, Maurizio (2004) “Simple thematic mapping”, **4:4** 361–378.
- Pitblado, Jeff (2002): see McDowell, Allen **2:2** (2002) 190–201.
- Pitblado, Jeffrey S. (2003): see Gutierrez, Roberto G. **3:4** (2003) 412–419.
- Pitblado, Jeffrey S. (2004): see Linhart, Jean Marie **4:1** (2004) 56–65.

- Poi, Brian P. (2002) “From the help desk: Demand system estimation”, **2:4** 403–410.
- Poi, Brian P. (2003) “From the help desk: Swamy’s random-coefficients model”, **3:3** 302–308.
- Poi, Brian P. (2003): see Moreira, Marcelo J. **3:1** (2003) 57–70.
- Poi, Brian P. (2004) “From the help desk: Some bootstrapping techniques”, **4:3** 312–328.
- Poi, Brian P. (2004): see Petrin, Amil **4:2** (2004) 113–123.
- Poi, Brian P. (2006) “Jackknife instrumental variables estimation in Stata”, **6:3** 364–376.
- Poi, Brian P. (2006): see Mikusheva, Anna **6:3** (2006) 335–347.

R

- Rabe-Hesketh, Sophia (2002) “Reliable estimation of generalized linear mixed models using adaptive quadrature”, **2:1** 1–21.
- Rabe-Hesketh, Sophia (2003) “Maximum likelihood estimation of generalized linear models with covariate measurement error”, **3:4** 386–411.
- Rabe-Hesketh, Sophia (2006): see Miranda, Alfonso **6:3** (2006) 285–308 .
- Reichenheim, Michael E. (2002) “Estimation of sensitivity and specificity arising from validity studies with incomplete designs”, **2:3** 267–279.
- Reichenheim, Michael E. (2002) “Two-graph receiver operating characteristic”, **2:4** 351–357.
- Reichenheim, Michael E. (2004) “Confidence intervals for the kappa statistic”, **4:4** 421–428.
- Rizzuto, Debora (2005): see Orsini, Nicola **5:3** (2005) 355–370.
- Rodriguez, German (2003) “Intra-class correlation in random-effects models for binary data”, **3:1** 32–46.
- Royston, Patrick (2001) “Flexible alternatives to the Cox model, and more”, **1:1** 1–28.
- Royston, Patrick (2001) “Sort a list of items”, **1:1** 105–106.
- Royston, Patrick (2002) “A menu-driven facility for complex sample size calculation in randomized controlled trials with a survival or a binary outcome”, **2:2** 151–163.
- Royston, Patrick (2002): see Hosmer, David W. **2:4** (2002) 331–350.
- Royston, Patrick (2004) “Flexible parametric alternatives to the Cox model: update”, **4:1** 98–101.
- Royston, Patrick (2004) “Multiple imputation of missing values”, **4:3** 227–241.

- Royston, Patrick (2004) “Stata tip 11: The nolog option with maximum-likelihood modeling commands”, **4:3** 356.
- Royston, Patrick (2004): see Driver, Shannon **4:2** (2004) 220.
- Royston, Patrick (2005) “A multivariable scatterplot smoother”, **5:3** 405–412.
- Royston, Patrick (2005) “Multiple imputation of missing values: Update of ice”, **5:4** 527–536.
- Royston, Patrick (2005) “Multiple imputation of missing values: update”, **5:2** 188–201.
- Royston, Patrick (2005) “Stata at 20: a personal view”, **5:1** 43–45.
- Royston, Patrick (2005) “Stata tip 19: A way to leaner, faster graphs”, **5:2** 279.
- Royston, Patrick (2005): see Barthel, Friederike M.-S. **5:1** (2005) 123–129.
- Royston, Patrick (2006) “Explained variation for survival models”, **6:1** 83–96.
- Royston, Patrick (2006): see Barthel, Friederike Maria-Sophie **6:3** (2006) 348–363.
- Ryan, Philip (2004) “Stata tip 10: Fine control of axis title positions”, **4:3** 354–355.
- Ryan, Philip (2004) “Stata tip 4: Using display as an online calculator”, **4:1** 93.
- Ryan, Philip (2005) “Stata tip 22: Variable name abbreviation”, **5:3** 465–466.
- S**
- Sajaia, Zurab (2004): see Lokshin, Michael **4:3** (2004) 282–289.
- Salgado-Ugarte, Isaias H. (2003) “Exploring the use of variable bandwidth kernel density estimators”, **3:2** 133–147.
- Sarafidis, Vasilis (2006): see Hoyos, Rafael E. De **6:4** (2006) 482–496.
- Saunders, Catherine L. (2003) “Sample size calculations for main effects and interactions in case-control studies using Stata’s nchi2 and npnchi2 functions”, **3:1** 47–56.
- Schaffer, Mark E. (2003): see Baum, Christopher F **3:1** (2003) 1–31.
- Schank, Thorsten (2006): see Andrews, Martyn **6:4** (2006) 461–481.
- Schmeidiche, Henrik (2003): see Hardin, James W. **3:4** (2003) 351–360.
- Schmeidiche, Henrik (2003): see Hardin, James W. **3:4** (2003) 361–372.
- Schmeidiche, Henrik (2003): see Hardin, James W. **3:4** (2003) 373–385.
- Schonlau, Matthias (2002) “The clustergram: A graph for visualizing hierarchical and nonhierarchical cluster analyses”, **2:4** 391–402.

- Schonlau, Matthias (2005) “Boosted regression (boosting): An introductory tutorial and a Stata plugin”, **5:3** 330–354.
- Schumm, L. Philip (2005) “Review of Data Analysis Using Stata by Kohler and Kreuter”, **5:4** 594–600.
- Schumm, L. Philip (2006) “Stata tip 28: Precise control of dataset sort order”, **6:1** 144–146.
- Skrondal, Anders (2002): see Rabe-Hesketh, Sophia **2:1** (2002) 1–21.
- Skrondal, Anders (2003): see Rabe-Hesketh, Sophia **3:4** (2003) 386–411.
- Slaymaker, Emma (2005) “Using the file command to produce formatted output for other applications”, **5:2** 239–247.
- Smeeton, Nigel (2003) “Do-it-yourself shuffling and the number of runs under randomness”, **3:3** 270–277.
- Steichen, Thomas J. (2002) “A note on the concordance correlation coefficient”, **2:2** 183–189.
- Steichen, Thomas J. (2004) “Submenus and dialogs for meta-analysis commands”, **4:2** 124–126.
- Sterne, Jonathan A. C. (2002) “G-estimation of causal effects, allowing for time-varying confounding”, **2:2** 164–182.
- Sterne, Jonathan A. C. (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Sterne, Jonathan A.C. (2004) “Funnel plots in meta-analysis”, **4:2** 127–141.
- Stewart, Mark (2006) “Maximum simulated likelihood estimation of random-effects dynamic probit models with autocorrelated errors”, **6:2** 256–272.
- Stewart, Mark B. (2004) “Semi-nonparametric estimation of extended ordered probit models”, **4:1** 27–39.
- Stillman, Steven (2003) “Review of Generalized Estimating Equations by Hardin and Hilbe”, **3:2** 208–210.
- Stillman, Steven (2003): see Baum, Christopher F **3:1** (2003) 1–31.

T

- Team, The ALSPAC Study (2003): see Newson, Roger **3:2** (2003) 109–132.
- Thompson, John (2006) “Bayesian analysis in Stata with WinBUGS”, **6:4** 530–549.
- Tilling, Kate (2002): see Sterne, Jonathan A. C. **2:2** (2002) 164–182.
- Tilling, Kate (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Trivedi, Pravin K. (2006): see Deb, Partha **6:2** (2006) 246–255.

U

- Uhlendorff, Arne (2006): see Haan, Peter **6:2** (2006) 229–245.
- Upward, Richard (2006): see Andrews, Martyn **6:4** (2006) 461–481.

V

- Vidmar, Suzanna (2004) “Standardizing anthropometric measures in children and adolescents with new functions for egen”, **4:1** 50–55.
- Visintainer, Paul F. (2003): see Hailpern, Susan M. **3:3** (2003) 213–225.

W

- Walker, Sarah (2002): see White, Ian R. **2:2** (2002) 140–150.
- Wang, Hua (2004): see Norton, Edward C. **4:2** (2004) 154–167.
- Watson, Ian (2005) “Further processing of estimation results: Basic programming with matrices”, **5:1** 83–91.
- Weesie, Jeroen (2005) “Multilingual datasets”, **5:2** 162–187.
- Weesie, Jeroen (2005) “Value label utilities: labeldup and labelrename”, **5:2** 154–161.
- White, Ian R. (2002) “strbee: Randomization-based efficacy estimator”, **2:2** 140–150.
- White, Ian R. (2004): see Kim, Lois G. **4:3** (2004) 257–264.
- Williams, Richard (2004) “Review of Statistics with Stata (Updated for Version 8) by Hamilton”, **4:2** 216–219.
- Williams, Richard (2006) “Generalized ordered logit/partial proportional odds models for ordinal dependent variables”, **6:1** 58–82.
- Williams, Richard (2006) “Review of Regression Models for Categorical Dependent Variables Using Stata, Second Edition, by Long and Freese”, **6:2** 273–278.
- Winter, Nicholas (2004) “Review of A Handbook of Statistical Analyses Using Stata by Rabe-Hesketh and Everitt”, **4:3** 350–353.
- Winter, Nicholas (2004): see Ryan, Philip **4:3** (2004) 354–355.
- Winter, Nicholas J.G. (2005) “Stata tip 23: Regaining control over axis ranges”, **5:3** 467–468.
- Wolfe, Frederick (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Wolfe, Rory (2006) “Review of Multilevel and Longitudinal Modeling Using Stata by Rabe-Hesketh and Skrondal”, **6:1** 138–143.

X

- Xu, Jun (2005) “Confidence intervals for predicted outcomes in regression models for categorical outcomes”, **5:4** 537–559.