

Cumulative author index, *Stata Journal*
Volumes 1–9 (2001–2009)

Produced by RePEc (<http://repec.org>)

December 20, 2009

A

- ALSPAC Study Team, The (2003): see Newson, Roger **3:2** (2003) 109–132.
- Abadie, Alberto (2004) “Implementing matching estimators for average treatment effects in Stata”, **4:3** 290–311.
- Acock, Alan C. (2009) “Review of The Workflow of Data Analysis Using Stata, by J. Scott Long”, **9:1** 158–160.
- Ai, Chunrong (2004): see Norton, Edward C. **4:2** (2004) 154–167.
- Alexandersson, Anders (2004) “Graphing confidence ellipses: An update of ellip for Stata 8”, **4:3** 242–256.
- Allard, Scott W. (2006) “Review of A Stata Companion to Political Analysis by Pollock”, **6:4** 584–587.
- Altman, Douglas G. (2008): see Harris, Ross J. **8:1** (2008) 3–28.
- Amos, Christopher I. (2008): see Marchenko, Yulia V. **8:3** (2008) 305–333.
- Anagnoson, J. Theodore (2005) “The history of StataQuest”, **5:1** 41–42.
- Andrews, Martyn (2006) “Practical fixed-effects estimation methods for the three-way error-components model”, **6:4** 461–481.
- Archer, Kellie J. (2006) “Goodness-of-fit test for a logistic regression model fitted using survey sample data”, **6:1** 97–105.
- Audige, Laurent (2004) “Review of Veterinary Epidemiologic Research by Dohoo, Martin and Stryhn”, **4:1** 89–92.

B

- Babiker, Abdel (2002): see Royston, Patrick **2:2** (2002) 151–163.
- Babiker, Abdel (2002): see White, Ian R. **2:2** (2002) 140–150.
- Babiker, Abdel (2005): see Barthel, Friederike Maria-Sophie **5:1** (2005) 123–129.
- Barlow, Natasha L. M. (2008): see Cox, Nicholas J. **8:2** (2008) 295–298.

Barrett, Jennifer H. (2003): see Saunders, Catherine L. **3:1** (2003) 47–56.

Barthel, Friederike M.-S. (2009) “A menu-driven facility for sample-size calculation in novel multiarm, multistage randomized controlled trials with a time-to-event outcome”, **9:4** 505–523.

Barthel, Friederike Maria-Sophie (2005) “A menu-driven facility for complex sample size calculation in randomized controlled trials with a survival or a binary outcome: Update”, **5:1** 123–129.

Barthel, Friederike Maria-Sophie (2006) “Graphical representation of interactions”, **6:3** 348–363.

Bartus, Tams (2005) “Estimation of marginal effects using margeff”, **5:3** 309–329.

Basu, Anirban (2005) “Extended generalized linear models: Simultaneous estimation of flexible link and variance functions”, **5:4** 501–516.

Bauer, Thomas K. (2008): see Sinning, Mathia **8:4** (2008) 480–492.

Baum, Christopher F (2001) “Residual diagnostics for cross-section time series regression models”, **1:1** 101–104.

Baum, Christopher F (2003) “Instrumental variables and GMM: Estimation and testing”, **3:1** 1–31.

Baum, Christopher F (2005) “Stata: The language of choice for time-series analysis?”, **5:1** 46–63.

Baum, Christopher F (2006) “Stata tip 37: And the last shall be first”, **6:4** 588–589.

Baum, Christopher F (2006) “Stata tip 38: Testing for groupwise heteroskedasticity”, **6:4** 590–592.

Baum, Christopher F (2007) “Enhanced routines for instrumental variables/generalized method of moments estimation and testing”, **7:4** 465–506.

Baum, Christopher F (2007) “Stata tip 40: Taking care of business”, **7:1** 137–139.

Baum, Christopher F (2007) “Stata tip 45: Getting those data into shape”, **7:2** 268–271.

Baum, Christopher F (2008) “Stata tip 63: Modeling proportions”, **8:2** 299–303.

Baum, Christopher F (2009) “Evaluating concavity for production and cost functions”, **9:1** 161–165.

Baum, Christopher F (2009) “Stata tip 73: append with care!”, **9:1** 166–168.

Becker, Sascha O. (2002) “Estimation of average treatment effects based on propensity scores”, **2:4** 358–377.

Becker, Sascha O. (2007) “Sensitivity analysis for average treatment effects”, **7:1** 71–83.

Beckett, Sean (2005) “In at the creation”, **5:1** 32–34.

- Bellocco, Rino (2005) “Review of Statistics for Epidemiology by Jewell”, **5:3** 461–464.
- Bellocco, Rino (2006): see Orsini, Nicola **6:1** (2006) 40–57.
- Bellocco, Rino (2008): see Orsini, Nicola **8:1** (2008) 29–48.
- Bera, Anil K. (2008): see Sosa-Escudero, Walter **8:1** (2008) 68–78.
- Berglund, Patricia (2008): see West, Brady T. **8:4** (2008) 520–531.
- Bia, Michela (2008) “A Stata package for the estimation of the dose-response function through adjustment for the generalized propensity score”, **8:3** 354–373.
- Bishop, D. Timothy (2003): see Saunders, Catherine L. **3:1** (2003) 47–56.
- Blackburne III, Edward F. (2007) “Estimation of nonstationary heterogeneous panels”, **7:2** 197–208.
- Blackwell, Matthew (2009) “cem: Coarsened exact matching in Stata”, **9:4** 524–546.
- Blackwell III, J. Lloyd (2005) “Estimation and testing of fixed-effect panel-data systems”, **5:2** 202–207.
- Boggess, May (2004): see Coviello, Vincenzo **4:2** (2004) 103–112.
- Bottai, Matteo (2004) “Confidence intervals for the variance component of random-effects linear models”, **4:4** 429–435.
- Bottai, Matteo (2008): see Orsini, Nicola **8:1** (2008) 29–48.
- Bradburn, Michael J. (2008): see Harris, Ross J. **8:1** (2008) 3–28.
- Brady, Anthony R. (2004): see Harrison, David A. **4:2** (2004) 142–153.
- Braumoeller, Bear F. (2004) “Boolean logit and probit in Stata”, **4:4** 436–441.
- Bruno, Giovanni S. F. (2005) “Estimation and inference in dynamic unbalanced panel-data models with a small number of individuals”, **5:4** 473–500.
- Brzinsky-Fay, Christian (2005): see Kohler, Ulrich **5:4** (2005) 601–602.
- Brzinsky-Fay, Christian (2006) “Sequence analysis with Stata”, **6:4** 435–460.
- Buis, Maarten L. (2007) “Stata tip 48: Discrete uses for uniform()”, **7:3** 434–435.
- Buis, Maarten L. (2007) “Stata tip 53: Where did my p-values go?”, **7:4** 584–586.
- Buis, Maarten L. (2007) “predict and adjust with logistic regression”, **7:2** 221–226.
- Buis, Maarten L. (2009) “Stata tip 81: A table of graphs”, **9:4** 643–647.
- Burke, William J. (2009) “Fitting and interpreting Cragg’s tobit alternative using Stata”, **9:4** 584–592.

C

- Caliendo, Marco (2007): see Becker, Sascha O. **7:1** (2007) 71–83.

- Cappellari, Lorenzo (2003) “Multivariate probit regression using simulated maximum likelihood”, **3:3** 278–294.
- Cappellari, Lorenzo (2006) “Calculation of multivariate normal probabilities by simulation, with applications to maximum simulated likelihood estimation”, **6:2** 156–189.
- Carlin, John (2004): see Vidmar, Suzanna **4:1** (2004) 50–55.
- Carlin, John (2006) “Review of An Introduction to Stata for Health Researchers by Juul”, **6:4** 580–583.
- Carlin, John B. (2003) “Tools for analyzing multiple imputed datasets”, **3:3** 226–244.
- Carlin, John B. (2008) “A new framework for managing and analyzing multiply imputed data in Stata”, **8:1** 49–67.
- Carlin, John B. (2009): see Royston, Patrick **9:2** (2009) 252–264.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 329–341.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 342–350.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 351–360.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 361–372.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 373–385.
- Carroll, Raymond K. (2008): see Marchenko, Yulia V. **8:3** (2008) 305–333.
- Chatfield, Mark (2009) “The SkillingsMack test (Friedman test when there are missing data)”, **9:2** 299–305.
- Chen, Xiao (2005): see Mitchell, Michael N. **5:1** (2005) 64–82.
- Chiburis, Richard (2007) “Maximum likelihood and two-step estimation of an ordered-probit selection model”, **7:2** 167–182.
- Choi, Hyon (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Cleves, Mario A. (2002) “Comparative assessment of three common algorithms for estimating the variance of the area under the nonparametric receiver operating characteristic curve”, **2:3** 280–289.
- Cleves, Mario A. (2002) “From the help desk: Comparing areas under receiver operating characteristic curves from two or more probit or logit models”, **2:3** 301–313.
- Cleves, Mario A. (2005) “Exploratory analysis of single nucleotide polymorphism (SNP) for quantitative traits”, **5:2** 141–153.
- Coffey, Carolyn (2003): see Carlin, John B. **3:3** (2003) 226–244.
- Cole, Tim (2004): see Vidmar, Suzanna **4:1** (2004) 50–55.
- Conroy, Ronn M. (2002) “Choosing an appropriate real-life measure of effect size: the case of a continuous predictor and a binary outcome”, **2:3** 290–295.
- Conroy, Ronn M. (2005) “Stings in the tails: Detecting and dealing with censored data”, **5:3** 395–404.

Cornelissen, Thomas (2008) “The Stata command `felsdereg` to fit a linear model with two high-dimensional fixed effects”, **8:2** 170–189.

Cornelissen, Thomas (2009) “Partial effects in probit and logit models with a triple dummy-variable interaction term”, **9:4** 571–583.

Coviello, Vincenzo (2004) “Cumulative incidence estimation in the presence of competing risks”, **4:2** 103–112.

Cox, Nicholas J. (2001) “Speaking Stata: How to repeat yourself without going mad”, **1:1** 86–97.

Cox, Nicholas J. (2002) “Speaking Stata: How to face lists with fortitude”, **2:2** 202–222.

Cox, Nicholas J. (2002) “Speaking Stata: How to move step by: step”, **2:1** 86–102.

Cox, Nicholas J. (2002) “Speaking Stata: On getting functions to do the work”, **2:4** 411–427.

Cox, Nicholas J. (2002) “Speaking Stata: On numbers and strings”, **2:3** 314–329.

Cox, Nicholas J. (2002): see Steichen, Thomas J. **2:2** (2002) 183–189.

Cox, Nicholas J. (2003) “Speaking Stata: On structure and shape: the case of multiple responses”, **3:1** 81–99.

Cox, Nicholas J. (2003) “Speaking Stata: Problems with lists”, **3:2** 185–202.

Cox, Nicholas J. (2003) “Speaking Stata: Problems with tables, Part I”, **3:3** 309–324.

Cox, Nicholas J. (2003) “Speaking Stata: Problems with tables, Part II”, **3:4** 420–439.

Cox, Nicholas J. (2003) “Stata tip 2: Building with floors and ceilings”, **3:4** 446–447.

Cox, Nicholas J. (2003): see Newton, H. Joseph **3:2** (2003) 105–108.

Cox, Nicholas J. (2003): see Smeeton, Nigel **3:3** (2003) 270–277.

Cox, Nicholas J. (2004) “Review of Statistical Evaluation of Measurement Errors by Dunn”, **4:4** 480–483.

Cox, Nicholas J. (2004) “Speaking Stata: Graphing agreement and disagreement”, **4:3** 329–349.

Cox, Nicholas J. (2004) “Speaking Stata: Graphing categorical and compositional data”, **4:2** 190–213.

Cox, Nicholas J. (2004) “Speaking Stata: Graphing distributions”, **4:1** 66–88.

Cox, Nicholas J. (2004) “Speaking Stata: Graphing model diagnostics”, **4:4** 449–475.

Cox, Nicholas J. (2004) “Stata tip 12: Tuning the plot region aspect ratio”, **4:3** 357–358.

Cox, Nicholas J. (2004) “Stata tip 15: Function graphs on the fly”, **4:4** 488–489.

Cox, Nicholas J. (2004) “Stata tip 6: Inserting awkward characters in the plot”, **4:1** 95–96.

Cox, Nicholas J. (2004) “Stata tip 9: Following special sequences”, **4:2** 223.

Cox, Nicholas J. (2005) “A brief history of Stata on its 20th anniversary”, **5:1** 2–18.

Cox, Nicholas J. (2005) “Speaking Stata: Density probability plots”, **5:2** 259–273.

Cox, Nicholas J. (2005) “Speaking Stata: Smoothing in various directions”, **5:4** 574–593.

Cox, Nicholas J. (2005) “Speaking Stata: The protean quantile plot”, **5:3** 442–460.

Cox, Nicholas J. (2005) “Stata tip 17: Filling in the gaps”, **5:1** 135–136.

Cox, Nicholas J. (2005) “Stata tip 21: The arrows of outrageous fortune”, **5:2** 282–284.

Cox, Nicholas J. (2005) “Stata tip 24: Axis labels on two or more levels”, **5:3** 469.

Cox, Nicholas J. (2005) “Stata tip 27: Classifying data points on scatter plots”, **5:4** 604–606.

Cox, Nicholas J. (2005) “Suggestions on Stata programming style”, **5:4** 560–566.

Cox, Nicholas J. (2005): see Kantor, David **5:3** (2005) 413–420.

Cox, Nicholas J. (2005): see Newton, H. Joseph **5:3** (2005) 287.

Cox, Nicholas J. (2005): see Royston, Patrick **5:3** (2005) 405–412.

Cox, Nicholas J. (2006) “Speaking Stata: Graphs for all seasons”, **6:3** 397–419.

Cox, Nicholas J. (2006) “Speaking Stata: In praise of trigonometric predictors”, **6:4** 561–579.

Cox, Nicholas J. (2006) “Speaking Stata: Time of day”, **6:1** 124–137.

Cox, Nicholas J. (2006) “Stata tip 30: May the source be with you”, **6:1** 149–150.

Cox, Nicholas J. (2006) “Stata tip 33: Sweet sixteen: Hexadecimal formats and precision problems”, **6:2** 282–283.

Cox, Nicholas J. (2006) “Stata tip 36: Which observations? Erratum”, **6:4** 596.

Cox, Nicholas J. (2006) “Stata tip 36: Which observations?”, **6:3** 430–432.

Cox, Nicholas J. (2006) “Stata tip 39: In a list or out? In a range or out?”, **6:4** 593–595.

Cox, Nicholas J. (2007) “Speaking Stata: Counting groups, especially panels”, **7:4** 571–581.

Cox, Nicholas J. (2007) “Speaking Stata: Identifying spells”, **7:2** 249–265.

Cox, Nicholas J. (2007) “Speaking Stata: Making it count”, **7:1** 117–130.

Cox, Nicholas J. (2007) “Speaking Stata: Turning over a new leaf”, **7:3** 413–433.

Cox, Nicholas J. (2007) “Stata tip 43: Remainders, selections, sequences, extractions: Uses of the modulus”, **7:1** 143–145.

Cox, Nicholas J. (2007) “Stata tip 47: Quantile-quantile plots without programming”, **7:2** 275–279.

Cox, Nicholas J. (2007) “Stata tip 50: Efficient use of summarize”, **7:3** 438–439.

Cox, Nicholas J. (2007) “Stata tip 51: Events in intervals”, **7:3** 440–443.

Cox, Nicholas J. (2007) “Stata tip 52: Generating composite categorical variables”, **7:4** 582–583.

Cox, Nicholas J. (2007) “Stata tip 55: Better axis labeling for time points and time intervals”, **7:4** 590–592.

Cox, Nicholas J. (2007): see Baum, Christopher F **7:2** (2007) 268–271.

Cox, Nicholas J. (2008) “Speaking Stata: Between tables and graphs”, **8:2** 269–289.

Cox, Nicholas J. (2008) “Speaking Stata: Correlation with confidence, or Fisher’s z revisited”, **8:3** 413–439.

Cox, Nicholas J. (2008) “Speaking Stata: Distinct observations”, **8:4** 557–568.

Cox, Nicholas J. (2008) “Speaking Stata: Spineplots and their kin”, **8:1** 105–121.

Cox, Nicholas J. (2008) “Stata tip 59: Plotting on any transformed scale”, **8:1** 142–145.

Cox, Nicholas J. (2008) “Stata tip 61: Decimal commas in results output and data input”, **8:2** 293–294.

Cox, Nicholas J. (2008) “Stata tip 62: Plotting on reversed scales”, **8:2** 295–298.

Cox, Nicholas J. (2008) “Stata tip 65: Beware the backstabbing backslash”, **8:3** 446–447.

Cox, Nicholas J. (2008) “Stata tip 67: J() now has greater replicating powers”, **8:3** 450–451.

Cox, Nicholas J. (2008) “Stata tip 70: Beware the evaluating equal sign”, **8:4** 586–587.

Cox, Nicholas J. (2008) “Stata tip 71: The problem of split identity, or how to”, **8:4** 588–591.

- Cox, Nicholas J. (2009) “Speaking Stata: Creating and varying box plots”, **9:3** 478–496.
- Cox, Nicholas J. (2009) “Speaking Stata: I. J. Good and quasi-Bayes smoothing of categorical frequencies”, **9:2** 306–314.
- Cox, Nicholas J. (2009) “Speaking Stata: Paired, parallel, or profile plots for changes, correlations, and other comparisons”, **9:4** 621–639.
- Cox, Nicholas J. (2009) “Speaking Stata: Rowwise”, **9:1** 137–157.
- Cox, Nicholas J. (2009) “Stata tip 76: Separating seasonal time series”, **9:2** 321–326.
- Cox, Nicholas J. (2009) “Stata tip 78: Going gray gracefully: Highlighting subsets”, **9:3** 499–503.
- Cox, Nicholas J. (2009) “Stata tip 79: Optional arguments to options”, **9:3** 504.
- Cox, Nicholas J. (2009) “Stata tip 82: Grounds for grids on graphs”, **9:4** 648–651.
- Croux, Christophe (2009): see Verardi, Vincenzo **9:3** (2009) 439–453.
- Crow, Kevin (2008) “Stata tip 72: Using the Graph Recorder to create a”, **8:4** 592–593.
- Crow, Kevin (2009) “Stata tip 75: Setting up Stata for a presentation”, **9:1** 171–172.
- Cui, James (2005) “Buckley-James method for analyzing censored data, with an application to a cardiovascular disease and an HIV/AIDS study”, **5:4** 517–526.
- Cui, James (2007) “QIC program and model selection in GEE analyses”, **7:2** 209–220.
- Cui, James (2007) “Stata tip 42: The overlay problem: Offset for clarity”, **7:1** 141–142.
- Cummings, Peter (2004) “Analysis of matched cohort data”, **4:3** 274–281.
- Cummings, Peter (2009) “Methods for estimating adjusted risk ratios”, **9:2** 175–196.

D

- Deb, Partha (2006) “Maximum simulated likelihood estimation of a negative binomial regression model with multinomial endogenous treatment”, **6:2** 246–255.
- Deeks, Jonathan J. (2008): see Harris, Ross J. **8:1** (2008) 3–28.
- Depalo, Domenico (2009) “A seasonal unit-root test with Stata”, **9:3** 422–438.
- Dinno, Alexis (2009) “Mata Matters: Overflow, underflow and the IEEE floating-point format”, **9:2** 291–298.

- Driver, Shannon (2004) “Stata tip 7: Copying and pasting under Windows”, **4:2** 220.
- Driver, Shannon (2005) “Stata tip 18: Making keys functional”, **5:1** 137–138.
- Drukker, David (2004): see Abadie, Alberto **4:3** (2004) 290–311.
- Drukker, David M. (2002) “Bootstrapping a conditional moments test for normality after tobit estimation”, **2:2** 125–139.
- Drukker, David M. (2003) “Testing for serial correlation in linear panel-data models”, **3:2** 168–177.
- Drukker, David M. (2006) “Generating Halton sequences using Mata”, **6:2** 214–228.
- Drukker, David M. (2006) “Importing Federal Reserve economic data”, **6:3** 384–386.
- Drukker, David M. (2006) “Maximum simulated likelihood: Introduction to a special issue”, **6:2** 153–155.
- Dunn, Graham (2008): see Emsley, Richard **8:3** (2008) 334–353.
- Dupont, William D. (2005) “Using density-distribution sunflower plots to explore bivariate relationships in dense data”, **5:3** 371–384.
- Dupont, William D. (2007) “Review of A Handbook of Statistical Analyses Using Stata, Fourth Edition, by Rabe-Hesketh and Everitt”, **7:2** 245–248.

E

- Elo, Irma (2003): see Rodriguez, German **3:1** (2003) 32–46.
- Emsley, Richard (2008) “Implementing double-robust estimators of causal effects”, **8:3** 334–353.
- Eng, John (2007) “File filtering in Stata: Handling complex data formats and navigating log files efficiently”, **7:1** 98–105.

F

- Feiveson, A. H. (2002) “Power by simulation”, **2:2** 107–124.
- Fenty, Justin (2004) “Analyzing distances”, **4:1** 1–26.
- Fewell, Zoe (2004) “Controlling for time-dependent confounding using marginal structural models”, **4:4** 402–420.
- Finlay, Keith (2009) “Implementing weak-instrument robust tests for a general class of instrumental-variables models”, **9:3** 398–421.
- Fiorio, Carlo V. (2004) “Confidence intervals for kernel density estimation”, **4:2** 168–179.
- Frank, Mark W. (2007): see Blackburne III, Edward F. **7:2** (2007) 197–208.
- Franklin, Charles H. (2006) “Stata tip 29: For all times and all places”, **6:1** 147–148.
- Freese, Jeremy (2001): see Long, J. Scott **1:1** (2001) 51–57.

Freese, Jeremy (2002) “Least likely observations in regression models for categorical outcomes”, **2:3** 296–300.

Freese, Jeremy (2002) “Review of Statistics with Stata (Updated for Version 7)”, **2:2** 223–225.

G

Galati, John C. (2008): see Carlin, John B. **8:1** (2008) 49–67.

Garrett, Joanne M. (2003) “Review of Statistical Modeling for Biomedical Researchers by Dupont”, **3:2** 203–207.

Gates, Richard (2006) “A Mata Geweke-Hajivassiliou-Keane multivariate normal simulator”, **6:2** 190–213.

Gates, Richard (2006): see Drukker, David M. **6:2** (2006) 214–228.

Gelman, Andrew (2009) “A statisticians perspective on Mostly Harmless Econometrics: An Empiricist’s Companion, by Joshua D. Angrist and Jorn-Steffen Pischke”, **9:2** 315–320.

Gini, Rosa (2006) “Automatic generation of documents”, **6:1** 22–39.

Gini, Rosa (2008) “Stata tip 56: Writing parameterized text files”, **8:1** 134–136.

Goerg, Sebastian J. (2009) “Nonparametric testing of distributionsthe EppsSingleton two-sample test using the empirical characteristic function”, **9:3** 454–465.

Gould, William (2001) “Statistical software certification”, **1:1** 29–50.

Gould, William (2003) “Stata tip 3: How to be assertive”, **3:4** 448.

Gould, William (2005) “Mata Matters: Using views onto the data”, **5:4** 567–573.

Gould, William (2005) “Mata matters: Translating Fortran”, **5:3** 421–441.

Gould, William (2006) “Mata Matters: Creating new variables—sounds boring, isn’t”, **6:1** 112–123.

Gould, William (2006) “Mata Matters: Interactive use”, **6:3** 387–396.

Gould, William (2006) “Mata Matters: Precision”, **6:4** 550–560.

Gould, William (2006) “Stata tip 35: Detecting whether data have changed”, **6:3** 428–429.

Gould, William (2007) “Mata Matters: Structures”, **7:4** 556–570.

Gould, William (2007) “Mata Matters: Subscripting”, **7:1** 106–116.

Gould, William (2008) “Mata Matters: Macros”, **8:3** 401–412.

Gould, William (2008) “Stata tip 57: How to reinstall Stata”, **8:1** 137–138.

Gould, William (2009) “Mata Matters: File processing”, **9:4** 599–620.

Greenland, Sander (2006): see Orsini, Nicola **6:1** (2006) 40–57.

Greenland, Sander (2008): see Orsini, Nicola **8:1** (2008) 29–48.

Greenwood, Philip (2003): see Carlin, John B. **3:3** (2003) 226–244.

- Guan, Weihua (2002) “Programmable GLM: Two user-defined links”, **2**:4 378–390.
- Guan, Weihua (2003) “From the help desk: Bootstrapped standard errors”, **3**:1 71–80.
- Guimaraes, Paulo (2004) “Understanding the multinomial-Poisson transformation”, **4**:3 265–273.
- Guimaraes, Paulo (2005) “A simple approach to fit the beta-binomial model”, **5**:3 385–394.
- Gutierrez, Roberto G. (2002) “Parametric frailty and shared frailty survival models”, **2**:1 22–44.
- Gutierrez, Roberto G. (2002): see Guan, Weihua **2**:4 (2002) 378–390.
- Gutierrez, Roberto G. (2003) “From the help desk: Local polynomial regression and Stata plugins”, **3**:4 412–419.
- Gutierrez, Roberto G. (2008): see Marchenko, Yulia V. **8**:3 (2008) 305–333.
- Gutierrez, Roberto G. (2009) “Stata tip 74: firstly, a new option for tab2”, **9**:1 169–170.

H

- Haan, Peter (2006) “Estimation of multinomial logit models with unobserved heterogeneity using maximum”, **6**:2 229–245.
- Hahn, Markus (2008): see Sinning, Mathia **8**:4 (2008) 480–492.
- Hailpern, Susan M. (2003) “Odds ratios and logistic regression: further examples of their use and interpretation”, **3**:3 213–225.
- Hailpern, Susan M. (2005) “Teaching statistics to physicians using Stata”, **5**:2 248–258.
- Hamilton, Lawrence (2005) “A short history of Statistics with Stata”, **5**:1 35–37.
- Hanson, Michael S. (2005) “Stata tip 26: Maximizing compatibility between”, **5**:4 603.
- Harbord, Roger M. (2004): see Sterne, Jonathan A.C. **4**:2 (2004) 127–141.
- Harbord, Roger M. (2008) “Meta-regression in Stata”, **8**:4 493–519.
- Harbord, Roger M. (2008): see Harris, Ross J. **8**:1 (2008) 3–28.
- Harbord, Roger M. (2009) “Updated tests for small-study effects in meta-analyses”, **9**:2 197–210.
- Harbord, Roger M. (2009) “metandi: Meta-analysis of diagnostic accuracy using hierarchical logistic regression”, **9**:2 211–229.
- Hardin, James W. (2002) “The robust variance estimator for two-stage models”, **2**:3 253–266.
- Hardin, James W. (2003) “Instrumental variables, bootstrapping, and generalized linear models”, **3**:4 351–360.

- Hardin, James W. (2003) “Measurement error, GLMs, and notational conventions”, **3:4** 329–341.
- Hardin, James W. (2003) “The regression-calibration method for fitting generalized linear models with additive measurement error”, **3:4** 361–372.
- Hardin, James W. (2003) “The regression-calibration method for fitting generalized linear models with additive measurement error”, **3:4** 373–385.
- Hardin, James W. (2003) “Variance estimation for the instrumental variables approach to measurement error in generalized linear models”, **3:4** 342–350.
- Hardouin, Jean-Benoit (2007) “Rasch analysis: Estimation and tests with raschtest”, **7:1** 22–44.
- Harris, Ross J. (2008) “metan: fixed- and random-effects meta-analysis”, **8:1** 3–28.
- Harris, Ross J. (2009): see Harbord, Roger M. **9:2** (2009) 197–210.
- Harrison, David A. (2004) “Sample size and power calculations using the noncentral t-distribution”, **4:2** 142–153.
- Harrison, David A. (2005) “Stata tip 20: Generating histogram bin variables”, **5:2** 280–281.
- Harrison, David A. (2006) “Stata tip 34: Tabulation by listing”, **6:3** 425–427.
- Harrison, David A. (2007) “Stata tip 41: Monitoring loop iterations”, **7:1** 140.
- Hassell, James (2004): see Linhart, Jean Marie **4:1** (2004) 56–65.
- Heeringa, Steven G. (2008): see West, Brady T. **8:4** (2008) 520–531.
- Heiss, Florian (2002) “Structural choice analysis with nested logit models”, **2:3** 227–252.
- Hendrickx, John (2002) “Review of Regression Models for Categorical Dependent Variables Using Stata by Long and Freese”, **2:1** 103–105.
- Hernn, Miguel A. (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Herr, Jane Leber (2004): see Abadie, Alberto **4:3** (2004) 290–311.
- Herrin, Jeph (2008) “Stata tip 64: Cleaning up user-entered string variables”, **8:3** 444–445.
- Herrin, Jeph (2009) “Stata tip 77: (Re)using macros in multiple do-files”, **9:3** 497–498.
- Hesketh, Kylie (2004): see Vidmar, Suzanna **4:1** (2004) 50–55.
- Higbee, Kenneth (2004) “Stata tip 14: Using value labels in expressions”, **4:4** 486–487.
- Higgins, Julian P. T. (2009): see White, Ian R. **9:1** (2009) 57–69.
- Higgins, Julian P.T. (2008): see Harbord, Roger M. **8:4** (2008) 493–519.
- Hilbe, Joseph M. (2005) “The birth of the bulletin”, **5:1** 39–40.

- Hoechle, Daniel (2007) “Robust standard errors for panel regressions with cross-sectional dependence”, **7:3** 281–312.
- Hole, Arne Risa (2006) “Calculating Murphy-Topel variance estimates in Stata: A simplified procedure”, **6:4** 521–529.
- Hole, Arne Risa (2007) “Fitting mixed logit models by using maximum simulated likelihood”, **7:3** 388–401.
- Horton, Nicholas J. (2008) “Review of Multilevel and Longitudinal Modeling”, **8:4** 579–582.
- Hosmer, David W. (2002) “Review of An Introduction to Survival Analysis Using Stata”, **2:4** 428–431.
- Hosmer, David W. (2002) “Using Aalen’s linear hazards model to investigate time-varying effects in the proportional hazards regression model”, **2:4** 331–350.
- Hoyos, Rafael E. De (2006) “Testing for cross-sectional dependence in panel-data models”, **6:4** 482–496.

I

- Iacus, Stefano (2009): see Blackwell, Matthew **9:4** (2009) 524–546.
- Ichino, Andrea (2002): see Becker, Sascha O. **2:4** (2002) 358–377.
- Imbens, Guido W. (2004): see Abadie, Alberto **4:3** (2004) 290–311.

J

- Janes, Holly (2009) “Accommodating covariates in receiver operating characteristic analysis”, **9:1** 17–39.
- Janes, Holly (2009): see Pepe, Margaret S. **9:1** (2009) 1–16.
- Jann, Ben (2004) “Stata tip 8: Splitting time-span records with categorical time-varying covariates”, **4:2** 221–222.
- Jann, Ben (2005) “Making regression tables from stored estimates”, **5:3** 288–308.
- Jann, Ben (2005) “Tabulation of multiple responses”, **5:1** 93–122.
- Jann, Ben (2007) “Making regression tables simplified”, **7:2** 227–244.
- Jann, Ben (2007) “Stata tip 44: Get a handle on your sample”, **7:2** 266–267.
- Jann, Ben (2008) “Multinomial goodness-of-fit: Large-sample tests with survey design correction and exact tests for small samples”, **8:2** 147–169.
- Jann, Ben (2008) “The Blinder-Oaxaca decomposition for linear regression models”, **8:4** 453–479.
- Jenkins, Stephen P. (2001): see Kerm, Philippe Van **1:1** (2001) 107–112.
- Jenkins, Stephen P. (2003) “Review of Maximum Likelihood Estimation with Stata by Gould, Pitblado, and Sribney”, **3:4** 440–444.
- Jenkins, Stephen P. (2003): see Cappellari, Lorenzo **3:3** (2003) 278–294.

Jenkins, Stephen P. (2006) “Stata tip 32: Do not stop”, **6:2** 281.
 Jenkins, Stephen P. (2006): see Cappellari, Lorenzo **6:2** (2006) 156–189.
 Jenkins, Stephen P. (2008) “Review of Applied Health Economics by Jones, Rice, Bago d’Uva, and Balia”, **8:1** 122–128.
 Jr., W. Dale Plummer, (2005): see Dupont, William D. **5:3** (2005) 371–384.
 Juul, Svend (2003) “Lean mainstream schemes for Stata 8 graphics”, **3:3** 295–301.

K

Kaiser, Johannes (2007) “An exact and a Monte Carlo proposal to the Fisher-Pitman permutation tests for paired replicates and for independent samples”, **7:3** 402–412.
 Kaiser, Johannes (2009) “A general-purpose method for two-group randomization tests”, **9:1** 70–85.
 Kaiser, Johannes (2009): see Goerg, Sebastian J. **9:3** (2009) 454–465.
 Kalter, Frank (2008) “Review of Event History Analysis with Stata by Blossfeld, Golsch, and Rohwer”, **8:1** 129–133.
 Kantor, David (2005) “Depending on conditions: a tutorial on the cond() function”, **5:3** 413–420.
 Kerm, Philippe Van (2001) “Generalized Lorenz curves and related graphs: an update for Stata 7”, **1:1** 107–112.
 Kerm, Philippe Van (2003) “Adaptive kernel density estimation”, **3:2** 148–156.
 Kerm, Philippe Van (2007) “Stata tip 54: Post your results”, **7:4** 587–589.
 Keshk, Omar M. G. (2003) “CDSIMEQ: A program to implement two-stage probit least squares”, **3:2** 157–167.
 Kim, Lois G. (2004) “Compliance-adjusted intervention effects in survival data”, **4:3** 257–264.
 King, Gary (2009): see Blackwell, Matthew **9:4** (2009) 524–546.
 Kohler, Ulrich (2003): see Cox, Nicholas J. **3:1** (2003) 81–99.
 Kohler, Ulrich (2004) “Review of A Visual Guide to Stata Graphics by Mitchell”, **4:4** 476–479.
 Kohler, Ulrich (2005) “Data inspection using biplots”, **5:2** 208–233.
 Kohler, Ulrich (2005) “Stata tip 16: Using input to generate variables”, **5:1** 134.
 Kohler, Ulrich (2005) “Stata tip 25: Sequence index plots”, **5:4** 601–602.
 Kohler, Ulrich (2006): see Brzinsky-Fay, Christian **6:4** (2006) 435–460.
 Kolenikov, Stanislav (2009) “Confirmatory factor analysis using confa”, **9:3** 329–373.

- Kolev, Gueorgui I. (2006) “Stata tip 31: Scalar or variable? The problem of ambiguous names”, **6:2** 279–280.
- Kreuter, Frauke (2007) “A survey on survey statistics: What is done and can be done in Stata”, **7:1** 1–21.

L

- Lachenbruch, Peter A. (2009): see Gutierrez, Roberto G. **9:1** (2009) 169–170.
- Lachenbruch, Tony (2005) “Memories of Stata”, **5:1** 38.
- Lacy, Michael G. (2009): see Kaiser, Johannes **9:1** (2009) 70–85.
- Lambert, Paul C. (2007) “Modeling of the cure fraction in survival studies”, **7:3** 351–375.
- Lambert, Paul C. (2009) “Further development of exible parametric models for survival analysis”, **9:2** 265–290.
- Lemeshow, Stanley (2005) “Review of Regression Methods in Biostatistics: Linear, Logistic, Survival, and Repeated Measures Models by Vittinghoff, Glidden, Shiboski, and McCulloch”, **5:2** 274–278.
- Lemeshow, Stanley (2006): see Archer, Kellie J. **6:1** (2006) 97–105.
- Leon, Antonio Ponce de (2002): see Reichenheim, Michael E. **2:3** (2002) 267–279.
- Leonard, Mary (2007): see Shults, Justine **7:2** (2007) 147–166.
- Levinsohn, James (2004): see Petrin, Amil **4:2** (2004) 113–123.
- Li, Ning (2003): see Carlin, John B. **3:3** (2003) 226–244.
- Lin, Danyu Y. (2008): see Marchenko, Yulia V. **8:3** (2008) 305–333.
- Linhart, Jean Marie (2003): see Gutierrez, Roberto G. **3:4** (2003) 412–419.
- Linhart, Jean Marie (2004) “From the help desk: Kaplan-Meier plots with stsatrisk”, **4:1** 56–65.
- Linhart, Jean Marie (2008) “Mata Matters: Overflow, underflow and the IEEE floating-point format”, **8:2** 255–268.
- Linz, Teresa (2009): see Baum, Christopher F **9:1** (2009) 161–165.
- Lokshin, Michael (2004) “Maximum likelihood estimation of endogenous switching regression models”, **4:3** 282–289.
- Lokshin, Michael (2006) “Difference-based semiparametric estimation of partial linear regression models”, **6:3** 377–383.
- Lokshin, Michael (2007): see Chiburis, Richard **7:2** (2007) 167–182.
- Lokshin, Michael (2008) “Creating print-ready tables in Stata”, **8:3** 374–389.
- Long, J. Scott (2001) “Predicted probabilities for count models”, **1:1** 51–57.
- Long, J. Scott (2005): see Xu, Jun **5:4** (2005) 537–559.
- Longest, Kyle C. (2008) “fuzzy: A program for performing qualitative comparative analyses (QCA) in Stata”, **8:1** 79–104.

- Longton, Gary (2009): see Janes, Holly **9:1** (2009) 17–39.
- Longton, Gary (2009): see Pepe, Margaret S. **9:1** (2009) 1–16.
- Longton, Gary M. (2008): see Cox, Nicholas J. **8:4** (2008) 557–568.
- Lopez-Feldman, Alejandro (2006) “Decomposing inequality and obtaining marginal effects”, **6:1** 106–111.
- Luca, Giuseppe De (2008) “SNP and SML estimation of univariate and bivariate binary-choice models”, **8:2** 190–220.
- Luniak, Magdalena (2005): see Kohler, Ulrich **5:2** (2005) 208–233.
- Luniak, Magdalena (2006): see Brzinsky-Fay, Christian **6:4** (2006) 435–460.
- Lunt, Mark (2008): see Emsley, Richard **8:3** (2008) 334–353.

M

- Magnusson, Leandro M. (2009): see Finlay, Keith **9:3** (2009) 398–421.
- Mander, A. P. (2001) “Haplotype analysis in population-based association studies”, **1:1** 58–75.
- Mander, A. P. (2002) “Analysis of quantitative traits using regression and log-linear modeling when phase is unknown”, **2:1** 65–70.
- Mander, Adrian (2009): see Chatfield, Mark **9:2** (2009) 299–305.
- Marchenko, Yulia (2006) “Estimating variance components in Stata”, **6:1** 1–21.
- Marchenko, Yulia V. (2008) “Semiparametric analysis of case-control genetic data in the presence of environmental factors”, **8:3** 305–333.
- Marchenko, Yulia V. (2009) “Improved degrees of freedom for multivariate significance tests obtained from multiply imputed, small-sample data”, **9:3** 388–397.
- Mattei, Alessandra (2008): see Bia, Michela **8:3** (2008) 354–373.
- McDowell, Allen (2001) “From the help desk”, **1:1** 76–85.
- McDowell, Allen (2002) “From the help desk: It’s all about the sampling”, **2:2** 190–201.
- McDowell, Allen (2002) “From the help desk: Transfer functions”, **2:1** 71–85.
- McDowell, Allen (2003) “From the help desk: hurdle models”, **3:2** 178–184.
- McDowell, Allen (2004) “From the help desk: Polynomial distributed lag models”, **4:2** 180–189.
- McDowell, Allen (2004) “From the help desk: Seemingly unrelated regression with unbalanced equations”, **4:4** 442–448.
- McGready, John (2003) “Review of A Short Introduction to Stata For Biostatistics by Hills and De Stavola”, **3:1** 100–104.
- McKnight, Barbara (2004): see Cummings, Peter **4:3** (2004) 274–281.
- Merryman, Scott (2007) “Stata tip 49: Range frame plots”, **7:3** 436–437.

- Merryman, Scott (2008) “Review of A Visual Guide to Stata Graphics, Second Edition by Michael N. Mitchell”, **8:3** 440–443.
- Mikusheva, Anna (2006) “Tests and confidence sets with correct size when instruments are potentially weak”, **6:3** 335–347.
- Miranda, Alfonso (2004) “FIML estimation of an endogenous switching model for count data”, **4:1** 40–49.
- Miranda, Alfonso (2006) “Maximum likelihood estimation of endogenous switching and sample selection models for binary, ordinal, and count variables”, **6:3** 285–308 .
- Mitchell, Michael N. (2005) “Visualizing main effects and interactions for binary logit models”, **5:1** 64–82.
- Moreira, Marcelo J. (2003) “Implementing tests with correct size in the simultaneous equations model”, **3:1** 57–70.
- Moreno, Santiago (2006): see Thompson, John **6:4** (2006) 530–549.
- Moreno, Santiago G. (2008): see Palmer, Tom M. **8:2** (2008) 242–254.
- Mulcahy, Michael (2006) “Review of A Gentle Introduction to Stata by Acock”, **6:3** 420–424.
- Miller, Daniel (2005) “Stata in space: Econometric analysis of spatially explicit raster data”, **5:2** 224–238.

N

- Nannicini, Tommaso (2007) “Simulation-based sensitivity analysis for matching estimators”, **7:3** 334–350.
- Nante, Nicola (2005): see Orsini, Nicola **5:3** (2005) 355–370.
- Necozione, Stefano (2007): see Vittorini, Pierpaolo **7:1** (2007) 84–97.
- Newson, Roger (2001) “Review of Generalized Linear Models and Extensions by Hardin and Hilbe”, **1:1** 98–100.
- Newson, Roger (2002) “Parameters behind ”nonparametric” statistics: Kendall’s tau, Somers’ D and median differences”, **2:1** 45–64.
- Newson, Roger (2003) “Confidence intervals and p-values for delivery to the end user”, **3:3** 245–269.
- Newson, Roger (2003) “Multiple-test procedures and smile plots”, **3:2** 109–132.
- Newson, Roger (2003) “Stata tip 1: The eform() option of regress”, **3:4** 445.
- Newson, Roger (2004) “Generalized power calculations for generalized linear models and more”, **4:4** 379–401.
- Newson, Roger (2004) “Stata tip 13: generate and replace use the current sort order”, **4:4** 484–485.
- Newson, Roger (2004) “Stata tip 5: Ensuring programs preserve dataset sort order”, **4:1** 94.

- Newson, Roger (2005) “Review of Generalized Latent Variable Modeling by Skrondal and Rabe-Hesketh”, **5:1** 130–133.
- Newson, Roger (2006) “Confidence intervals for rank statistics: Percentile slopes, differences, and ratios”, **6:4** 497–520.
- Newson, Roger (2006) “Confidence intervals for rank statistics: Somers’ D and extensions”, **6:3** 309–334.
- Newton, H. Joseph (2003) “The Stata Journal so far: Editors’ report”, **3:2** 105–108.
- Newton, H. Joseph (2005) “A conversation with William Gould”, **5:1** 19–31.
- Newton, H. Joseph (2005) “Editorial Announcements”, **5:3** 287.
- Nichols, Austin (2007) “Causal inference with observational data”, **7:4** 507–541.
- Nichols, Austin (2007) “Review of An Introduction to Modern Econometrics Using Stata by Baum”, **7:1** 131–136.
- Nichols, Austin (2008) “Erratum and discussion of propensity-score reweighting”, **8:4** 532–539.
- Norton, Edward C. (2004) “Computing interaction effects and standard errors in logit and probit models”, **4:2** 154–167.

O

- Orio, Ferdinando di (2007): see Vittorini, Pierpaolo **7:1** (2007) 84–97.
- Orsini, Nicola (2004): see Bottai, Matteo **4:4** (2004) 429–435.
- Orsini, Nicola (2005) “Introduction to game-theory calculations”, **5:3** 355–370.
- Orsini, Nicola (2006) “Generalized least squares for trend estimation of summarized dose-response data”, **6:1** 40–57.
- Orsini, Nicola (2008) “A tool for deterministic and probabilistic sensitivity analysis of epidemiologic studies”, **8:1** 29–48.

P

- Palmer, Tom (2006): see Thompson, John **6:4** (2006) 530–549.
- Palmer, Tom M. (2008) “Contour-enhanced funnel plots for meta-analysis”, **8:2** 242–254.
- Parmar, Mahesh K. B. (2009): see Barthel, Friederike M.-S. **9:4** (2009) 505–523.
- Pasquini, Jacopo (2006): see Gini, Rosa **6:1** (2006) 22–39.
- Pepe, Margaret S. (2009) “Estimation and comparison of receiver operating characteristic curves”, **9:1** 1–16.
- Pepe, Margaret S. (2009): see Janes, Holly **9:1** (2009) 17–39.
- Perez-Hernandez, Marco A. (2003): see Salgado-Ugarte, Isaias H. **3:2** (2003) 133–147.

- Persyn, Damiaan (2008) “Error-correction based cointegration tests for panel data”, **8:2** 232–241.
- Peters, Jaime L. (2008): see Palmer, Tom M. **8:2** (2008) 242–254.
- Petrin, Amil (2004) “Production function estimation in Stata using inputs to control for unobservables”, **4:2** 113–123.
- Pickles, Andrew (2002): see Rabe-Hesketh, Sophia **2:1** (2002) 1–21.
- Pickles, Andrew (2003): see Rabe-Hesketh, Sophia **3:4** (2003) 386–411.
- Pickles, Andrew (2008): see Emsley, Richard **8:3** (2008) 334–353.
- Pisati, Maurizio (2004) “Simple thematic mapping”, **4:4** 361–378.
- Pitblado, Jeff (2002): see McDowell, Allen **2:2** (2002) 190–201.
- Pitblado, Jeffrey S. (2003): see Gutierrez, Roberto G. **3:4** (2003) 412–419.
- Pitblado, Jeffrey S. (2004): see Linhart, Jean Marie **4:1** (2004) 56–65.
- Poen, Eva (2008): see Herrin, Jeph **8:3** (2008) 444–445.
- Poi, Brian (2008): see Yasar, Mahmut **8:2** (2008) 221–231.
- Poi, Brian P. (2002) “From the help desk: Demand system estimation”, **2:4** 403–410.
- Poi, Brian P. (2003) “From the help desk: Swamy’s random-coefficients model”, **3:3** 302–308.
- Poi, Brian P. (2003): see Moreira, Marcelo J. **3:1** (2003) 57–70.
- Poi, Brian P. (2004) “From the help desk: Some bootstrapping techniques”, **4:3** 312–328.
- Poi, Brian P. (2004): see Petrin, Amil **4:2** (2004) 113–123.
- Poi, Brian P. (2006) “Jackknife instrumental variables estimation in Stata”, **6:3** 364–376.
- Poi, Brian P. (2006): see Mikusheva, Anna **6:3** (2006) 335–347.
- Poi, Brian P. (2008) “Demand-system estimation: Update”, **8:4** 554–556.
- Poi, Brian P. (2008) “Stata tip 58: nl is not just for nonlinear models”, **8:1** 139–141.
- Porro, Giuseppe (2009): see Blackwell, Matthew **9:4** (2009) 524–546.

R

- Rabe-Hesketh, Sophia (2002) “Reliable estimation of generalized linear mixed models using adaptive quadrature”, **2:1** 1–21.
- Rabe-Hesketh, Sophia (2003) “Maximum likelihood estimation of generalized linear models with covariate measurement error”, **3:4** 386–411.
- Rabe-Hesketh, Sophia (2006): see Miranda, Alfonso **6:3** (2006) 285–308 .
- Rabe-Hesketh, Sophia (2007): see Zheng, Xiaohui **7:3** (2007) 313–333.
- Raciborski, Rafal (2008) “kountry: A Stata utility for merging cross-country data from multiple sources”, **8:3** 390–400.
- Raciborski, Rafal (2008): see Yasar, Mahmut **8:2** (2008) 221–231.

Raciborski, Rafal (2009) “Graphical representation of multivariate data using Chernoff faces”, **9:3** 374–387.

Ratcliffe, Sarah J. (2007): see Shults, Justine **7:2** (2007) 147–166.

Reichenheim, Michael E. (2002) “Estimation of sensitivity and specificity arising from validity studies with incomplete designs”, **2:3** 267–279.

Reichenheim, Michael E. (2002) “Two-graph receiver operating characteristic”, **2:4** 351–357.

Reichenheim, Michael E. (2004) “Confidence intervals for the kappa statistic”, **4:4** 421–428.

Reiter, Jerome P. (2009): see Marchenko, Yulia V. **9:3** (2009) 388–397.

Riley, Alan R. (2008) “Stata tip 60: Making fast and easy changes to files with filefilter”, **8:2** 290–292.

Riley, Alan R. (2008) “Stata tip 69: Producing log files based on successful”, **8:4** 583–585.

Rizzuto, Debora (2005): see Orsini, Nicola **5:3** (2005) 355–370.

Rodriguez, German (2003) “Intra-class correlation in random-effects models for binary data”, **3:1** 32–46.

Roodman, David (2009) “How to do xtabond2: An introduction to difference and system GMM in Stata”, **9:1** 86–136.

Royston, Patrick (2007) “Multiple imputation of missing values: further update of ice, with an emphasis on interval censoring”, **7:4** 445–464.

Royston, Patrick (2001) “Flexible alternatives to the Cox model, and more”, **1:1** 1–28.

Royston, Patrick (2001) “Sort a list of items”, **1:1** 105–106.

Royston, Patrick (2002) “A menu-driven facility for complex sample size calculation in randomized controlled trials with a survival or a binary outcome”, **2:2** 151–163.

Royston, Patrick (2002): see Hosmer, David W. **2:4** (2002) 331–350.

Royston, Patrick (2004) “Flexible parametric alternatives to the Cox model: update”, **4:1** 98–101.

Royston, Patrick (2004) “Multiple imputation of missing values”, **4:3** 227–241.

Royston, Patrick (2004) “Stata tip 11: The nolog option with maximum-likelihood modeling commands”, **4:3** 356.

Royston, Patrick (2004): see Driver, Shannon **4:2** (2004) 220.

Royston, Patrick (2005) “A multivariable scatterplot smoother”, **5:3** 405–412.

Royston, Patrick (2005) “Multiple imputation of missing values: Update of ice”, **5:4** 527–536.

- Royston, Patrick (2005) “Multiple imputation of missing values: update”, **5:2** 188–201.
- Royston, Patrick (2005) “Stata at 20: a personal view”, **5:1** 43–45.
- Royston, Patrick (2005) “Stata tip 19: A way to leaner, faster graphs”, **5:2** 279.
- Royston, Patrick (2005): see Barthel, Friederike Maria-Sophie **5:1** (2005) 123–129.
- Royston, Patrick (2006) “Explained variation for survival models”, **6:1** 83–96.
- Royston, Patrick (2006): see Barthel, Friederike Maria-Sophie **6:3** (2006) 348–363.
- Royston, Patrick (2007) “Multivariable modeling with cubic regression splines: A principled approach”, **7:1** 45–70.
- Royston, Patrick (2007) “Profile likelihood for estimation and confidence intervals”, **7:3** 376–387.
- Royston, Patrick (2008): see Carlin, John B. **8:1** (2008) 49–67.
- Royston, Patrick (2009) “Bootstrap assessment of the stability of multivariable models”, **9:4** 547–570.
- Royston, Patrick (2009) “Multiple imputation of missing values: Further update of ice, with an emphasis on categorical variables”, **9:3** 466–477.
- Royston, Patrick (2009) “Multiple imputation of missing values: New features for mim”, **9:2** 252–264.
- Royston, Patrick (2009) “Two techniques for investigating interactions between treatment and continuous covariates in clinical trials”, **9:2** 230–251.
- Royston, Patrick (2009): see Barthel, Friederike M.-S. **9:4** (2009) 505–523.
- Royston, Patrick (2009): see Lambert, Paul C. **9:2** (2009) 265–290.
- Ryan, Philip (2004) “Stata tip 10: Fine control of axis title positions”, **4:3** 354–355.
- Ryan, Philip (2004) “Stata tip 4: Using display as an online calculator”, **4:1** 93.
- Ryan, Philip (2005) “Stata tip 22: Variable name abbreviation”, **5:3** 465–466.

S

- Sajaia, Zurab (2004): see Lokshin, Michael **4:3** (2004) 282–289.
- Sajaia, Zurab (2008): see Lokshin, Michael **8:3** (2008) 374–389.
- Salgado-Ugarte, Isaias H. (2003) “Exploring the use of variable bandwidth kernel density estimators”, **3:2** 133–147.
- Sarafidis, Vasilis (2006): see Hoyos, Rafael E. De **6:4** (2006) 482–496.
- Sauerbrei, Willi (2007): see Royston, Patrick **7:1** (2007) 45–70.

- Sauerbrei, Willi (2009): see Royston, Patrick **9:2** (2009) 230–251.
- Sauerbrei, Willi (2009): see Royston, Patrick **9:4** (2009) 547–570.
- Saunders, Catherine L. (2003) “Sample size calculations for main effects and interactions in case-control studies using Stata’s nchi2 and npnchi2 functions”, **3:1** 47–56.
- Schaffer, Mark E. (2003): see Baum, Christopher F **3:1** (2003) 1–31.
- Schaffer, Mark E. (2007): see Baum, Christopher F **7:4** (2007) 465–506.
- Schank, Thorsten (2006): see Andrews, Martyn **6:4** (2006) 461–481.
- Schmeidiche, Henrik (2003): see Hardin, James W. **3:4** (2003) 351–360.
- Schmeidiche, Henrik (2003): see Hardin, James W. **3:4** (2003) 361–372.
- Schmeidiche, Henrik (2003): see Hardin, James W. **3:4** (2003) 373–385.
- Schonlau, Matthias (2002) “The clustergram: A graph for visualizing hierarchical and nonhierarchical cluster analyses”, **2:4** 391–402.
- Schonlau, Matthias (2005) “Boosted regression (boosting): An introductory tutorial and a Stata plugin”, **5:3** 330–354.
- Schumm, L. Philip (2005) “Review of Data Analysis Using Stata by Kohler and Kreuter”, **5:4** 594–600.
- Schumm, L. Philip (2006) “Stata tip 28: Precise control of dataset sort order”, **6:1** 144–146.
- Shults, Justine (2007) “Improved generalized estimating equation analysis via xtqls for quasi-least squares in Stata”, **7:2** 147–166.
- Sinning, Mathia (2008) “The Blinder-Oaxaca decomposition for nonlinear regression models”, **8:4** 480–492.
- Skrondal, Anders (2002): see Rabe-Hesketh, Sophia **2:1** (2002) 1–21.
- Skrondal, Anders (2003): see Rabe-Hesketh, Sophia **3:4** (2003) 386–411.
- Slaymaker, Emma (2005) “Using the file command to produce formatted output for other applications”, **5:2** 239–247.
- Smeeton, Nigel (2003) “Do-it-yourself shuffling and the number of runs under randomness”, **3:3** 270–277.
- Sonderhof, Katja (2009): see Cornelissen, Thomas **9:4** (2009) 571–583.
- Sosa-Escudero, Walter (2008) “Tests for unbalanced error-components models under local misspecification”, **8:1** 68–78.
- Steichen, Thomas J. (2002) “A note on the concordance correlation coefficient”, **2:2** 183–189.
- Steichen, Thomas J. (2004) “Submenus and dialogs for meta-analysis commands”, **4:2** 124–126.
- Sterne, Jonathan A. C. (2002) “G-estimation of causal effects, allowing for time-varying confounding”, **2:2** 164–182.
- Sterne, Jonathan A. C. (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Sterne, Jonathan A. C. (2008): see Harris, Ross J. **8:1** (2008) 3–28.

- Sterne, Jonathan A. C. (2009): see Harbord, Roger M. **9:2** (2009) 197–210.
- Sterne, Jonathan A.C. (2004) “Funnel plots in meta-analysis”, **4:2** 127–141.
- Stewart, Mark (2006) “Maximum simulated likelihood estimation of random-effects dynamic probit models with autocorrelated errors”, **6:2** 256–272.
- Stewart, Mark B. (2004) “Semi-nonparametric estimation of extended ordered probit models”, **4:1** 27–39.
- Stillman, Steven (2003) “Review of Generalized Estimating Equations by Hardin and Hilbe”, **3:2** 208–210.
- Stillman, Steven (2003): see Baum, Christopher F **3:1** (2003) 1–31.
- Stillman, Steven (2007): see Baum, Christopher F **7:4** (2007) 465–506.
- Stovring, Henrik (2007) “A generic function evaluator implemented in Mata”, **7:4** 542–555.
- Sutton, Alex J. (2008): see Palmer, Tom M. **8:2** (2008) 242–254.

T

- Terracol, Antoine (2008) “Review of Stata par la pratique : statistiques”, **8:4** 569–573.
- Terracol, Antoine (2008) “Stata par la pratique : statistiques, graphiques”, **8:4** 574–578.
- Thompson, John (2006) “Bayesian analysis in Stata with WinBUGS”, **6:4** 530–549.
- Tilling, Kate (2002): see Sterne, Jonathan A. C. **2:2** (2002) 164–182.
- Tilling, Kate (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Trivedi, Pravin K. (2006): see Deb, Partha **6:2** (2006) 246–255.

U

- Uhlendorff, Arne (2006): see Haan, Peter **6:2** (2006) 229–245.
- Upward, Richard (2006): see Andrews, Martyn **6:4** (2006) 461–481.

V

- Vaisey, Stephen (2008): see Longest, Kyle C. **8:1** (2008) 79–104.
- Valliant, Richard (2007): see Kreuter, Frauke **7:1** (2007) 1–21.
- Vanlaar, Ward (2008) “A shortcut through long loops: An illustration”, **8:4** 540–553.
- Verardi, Vincenzo (2009) “Robust regression in Stata”, **9:3** 439–453.
- Vidmar, Suzanna (2004) “Standardizing anthropometric measures in children and adolescents with new functions for egen”, **4:1** 50–55.
- Visintainer, Paul F. (2003): see Hailpern, Susan M. **3:3** (2003) 213–225.
- Vittorini, Pierpaolo (2007) “Stata and the WeeW information system”, **7:1** 84–97.

W

- Walker, Sarah (2002): see White, Ian R. **2:2** (2002) 140–150.
- Wang, Hua (2004): see Norton, Edward C. **4:2** (2004) 154–167.
- Wang, Zhiqiang (2007) “Two postestimation commands for assessing confounding effects in epidemiological studies”, **7:2** 183–196.
- Watson, Ian (2005) “Further processing of estimation results: Basic programming with matrices”, **5:1** 83–91.
- Weesie, Jeroen (2005) “Multilingual datasets”, **5:2** 162–187.
- Weesie, Jeroen (2005) “Value label utilities: labeldup and labelrename”, **5:2** 154–161.
- Weiss, Martin (2008) “Stata tip 66: ds- A hidden gem”, **8:3** 448–449.
- Weiss, Martin (2009) “Stata tip 80: Constructing a group variable with specified group sizes”, **9:4** 640–642.
- Weiss, Martin (2009): see Buis, Maarten L. **9:4** (2009) 643–647.
- West , Brady T. (2008) “A closer examination of subpopulation analysis of complex-sample survey data”, **8:4** 520–531.
- Westerlund, Joakim (2008): see Persyn, Damiaan **8:2** (2008) 232–241.
- White, Ian R. (2002) “strbee: Randomization-based efficacy estimator”, **2:2** 140–150.
- White, Ian R. (2004): see Kim, Lois G. **4:3** (2004) 257–264.
- White, Ian R. (2009) “Meta-analysis with missing data”, **9:1** 57–69.
- White, Ian R. (2009) “Multivariate random-effects meta-analysis”, **9:1** 40–56.
- White, Ian R. (2009): see Royston, Patrick **9:2** (2009) 252–264.
- Whiting, Penny (2009): see Harbord, Roger M. **9:2** (2009) 211–229.
- Williams, Richard (2004) “Review of Statistics with Stata (Updated for Version 8) by Hamilton”, **4:2** 216–219.
- Williams, Richard (2006) “Generalized ordered logit/partial proportional odds models for ordinal dependent variables”, **6:1** 58–82.
- Williams, Richard (2006) “Review of Regression Models for Categorical Dependent Variables Using Stata, Second Edition, by Long and Freese”, **6:2** 273–278.
- Williams, Richard (2007) “Stata tip 46: Step we gaily, on we go”, **7:2** 272–274.
- Winter, Nicholas (2004) “Review of A Handbook of Statistical Analyses Using Stata by Rabe-Hesketh and Everitt”, **4:3** 350–353.
- Winter, Nicholas (2004): see Ryan, Philip **4:3** (2004) 354–355.
- Winter, Nicholas J.G. (2005) “Stata tip 23: Regaining control over axis ranges”, **5:3** 467–468.

Wolfe, Frederick (2004): see Fewell, Zoe 4:4 (2004) 402–420.
Wolfe, Rory (2006) “Review of Multilevel and Longitudinal Modeling Using Stata by Rabe-Hesketh and Skrondal”, 6:1 138–143.
Wolk, Alicja (2008): see Orsini, Nicola 8:1 (2008) 29–48.

X

Xu, Jun (2005) “Confidence intervals for predicted outcomes in regression models for categorical outcomes”, 5:4 537–559.

Y

Yasar, Mahmut (2008) “Production function estimation in Stata using the Olley and Pakes method”, 8:2 221–231.

Z

Zezula, Ivan (2009) “Implementation of a new solution to the multivariate Behrens-Fisher problem”, 9:4 593–598.
Zheng, Xiaohui (2007) “Estimating parameters of dichotomous and ordinal item response models with gllamm”, 7:3 313–333.