

Cumulative author index, *Stata Journal* Volumes 1–5 (2001–2005)

Produced by RePEc (<http://repec.org>)

December 13, 2005

A

- Abadie, Alberto (2004) “Implementing matching estimators for average treatment effects in Stata ”, **4:3** 290–311.
- Ai, Chunrong (2004): see Norton, Edward C. **4:2** (2004) 154–167.
- Alexandersson, Anders (2004) “Graphing confidence ellipses: An update of ellip for Stata 8”, **4:3** 242–256.
- Anagnoson, J. Theodore (2005) “The history of StataQuest”, **5:1** 41–42.
- Audige, Laurent (2004) “Review of Veterinary Epidemiologic Research by Dohoo, Martin and Stryhn”, **4:1** 89–92.

B

- Babiker, Abdel (2002): see Royston, Patrick **2:2** (2002) 151–163.
- Babiker, Abdel (2002): see White, Ian R. **2:2** (2002) 140–150.
- Babiker, Abdel (2005): see Barthel, Friederike M.-S. **5:1** (2005) 123–129.
- Barrett, Jennifer H. (2003): see Saunders, Catherine L. **3:1** (2003) 47–56.
- Barthel, Friederike M.-S. (2005) “A menu-driven facility for complex sample size calculation in randomized controlled trials with a survival or a binary outcome: Update ”, **5:1** 123–129.
- Bartus, Tamás (2005) “Estimation of marginal effects using margeff ”, **5:3** 309–329.
- Basu, Anirban (2005) “ Extended generalized linear models: Simultaneous estimation of flexible link and variance functions ”, **5:4** 501–516.
- Baum, Christopher F (2001) “ Residual diagnostics for cross-section time series regression models”, **1:1** 101–104.
- Baum, Christopher F (2003) “ Instrumental variables and GMM: Estimation and testing”, **3:1** 1–31.

- Baum, Christopher F (2005) “Cumulative author index, volumes 1-5”, **5:4** .
- Baum, Christopher F (2005) “Stata: The language of choice for time-series analysis?”, **5:1** 46–63.
- Becker, Sascha O. (2002) “ Estimation of average treatment effects based on propensity scores”, **2:4** 358–377.
- Beckett, Sean (2005) “In at the creation ”, **5:1** 32–34.
- Bellocco, Rino (2005) “ Review of Statistics for Epidemiology by Jewell ”, **5:3** 461–464.
- Bishop, D. Timothy (2003): see Saunders, Catherine L. **3:1** (2003) 47–56.
- Blackwell, J. Lloyd III (2005) “Estimation and testing of fixed-effect panel-data systems ”, **5:2** 202–207.
- Boggess, May (2004): see Coviello, Vincenzo **4:2** (2004) 103–112.
- Bottai, Matteo (2004) “Confidence intervals for the variance component of random-effects linear models ”, **4:4** 429–435.
- Brady, Anthony R. (2004): see Harrison, David A. **4:2** (2004) 142–153.
- Braumoeller, Bear F. (2004) “Boolean logit and probit in Stata ”, **4:4** 436–441.
- Bruno, Giovanni S. F. (2005) “ Estimation and inference in dynamic unbalanced panel-data models with a small number of individuals”, **5:4** 473–500.
- Brzinsky-Fay, Christian (2005): see Kohler, Ulrich **5:4** (2005) 601–602.

C

- Cappellari, Lorenzo (2003) “Multivariate probit regression using simulated maximum likelihood”, **3:3** 278–294.
- Carlin, John (2004): see Vidmar, Suzanna **4:1** (2004) 50–55.
- Carlin, John B. (2003) “ Tools for analyzing multiple imputed datasets”, **3:3** 226–244.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 329–341.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 342–350.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 351–360.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 361–372.
- Carroll, Raymond J. (2003): see Hardin, James W. **3:4** (2003) 373–385.
- Chen, Xiao (2005): see Mitchell, Michael N. **5:1** (2005) 64–82.
- Choi, Hyon (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Cleves, Mario A. (2002) “ From the help desk: Comparing areas under receiver operating characteristic curves from two or more probit or logit models”, **2:3** 301–313.

- Cleves, Mario A. (2002) “Comparative assessment of three common algorithms for estimating the variance of the area under the nonparametric receiver operating characteristic curve”, **2:3** 280–289.
- Cleves, Mario A. (2005) “Exploratory analysis of single nucleotide polymorphism (SNP) for quantitative traits”, **5:2** 141–153.
- Coffey, Carolyn (2003): see Carlin, John B. **3:3** (2003) 226–244.
- Cole, Tim (2004): see Vidmar, Suzanna **4:1** (2004) 50–55.
- Conroy, Ronán M. (2005) “Stings in the tails: Detecting and dealing with censored data”, **5:3** 395–404.
- Conroy, Ronan M. (2002) “Choosing an appropriate real-life measure of effect size: the case of a continuous predictor and a binary outcome”, **2:3** 290–295.
- Coviello, Vincenzo (2004) “Cumulative incidence estimation in the presence of competing risks”, **4:2** 103–112.
- Cox, Nicholas J. (2001) “Speaking Stata: How to repeat yourself without going mad”, **1:1** 86–97.
- Cox, Nicholas J. (2002) “Speaking Stata: How to face lists with fortitude”, **2:2** 202–222.
- Cox, Nicholas J. (2002) “Speaking Stata: How to move step by step”, **2:1** 86–102.
- Cox, Nicholas J. (2002) “Speaking Stata: On getting functions to do the work”, **2:4** 411–427.
- Cox, Nicholas J. (2002) “Speaking Stata: On numbers and strings”, **2:3** 314–329.
- Cox, Nicholas J. (2002): see Steichen, Thomas J. **2:2** (2002) 183–189.
- Cox, Nicholas J. (2003) “Speaking Stata: On structure and shape: the case of multiple responses”, **3:1** 81–99.
- Cox, Nicholas J. (2003) “Speaking Stata: Problems with lists”, **3:2** 185–202.
- Cox, Nicholas J. (2003) “Speaking Stata: Problems with tables, Part I”, **3:3** 309–324.
- Cox, Nicholas J. (2003) “Speaking Stata: Problems with tables, Part II”, **3:4** 420–439.
- Cox, Nicholas J. (2003) “Stata tip 2: Building with floors and ceilings”, **3:4** 446–447.
- Cox, Nicholas J. (2003): see Newton, H. Joseph **3:2** (2003) 105–108.
- Cox, Nicholas J. (2003): see Smeeton, Nigel **3:3** (2003) 270–277.
- Cox, Nicholas J. (2004) “Speaking Stata: Graphing agreement and disagreement”, **4:3** 329–349.

- Cox, Nicholas J. (2004) “Speaking Stata: Graphing categorical and compositional data”, **4:2** 190–213.
- Cox, Nicholas J. (2004) “Speaking Stata: Graphing distributions”, **4:1** 66–88.
- Cox, Nicholas J. (2004) “Speaking Stata: Graphing model diagnostics”, **4:4** 449–475.
- Cox, Nicholas J. (2004) “Stata tip 12: Tuning the plot region aspect ratio”, **4:3** 357–358.
- Cox, Nicholas J. (2004) “Stata tip 15: Function graphs on the fly”, **4:4** 488–489.
- Cox, Nicholas J. (2004) “Stata tip 6: Inserting awkward characters in the plot”, **4:1** 95–96.
- Cox, Nicholas J. (2004) “Stata tip 9: Following special sequences”, **4:2** 223.
- Cox, Nicholas J. (2004) “Review of Statistical Evaluation of Measurement Errors by Dunn”, **4:4** 480–483.
- Cox, Nicholas J. (2005) “A brief history of Stata on its 20th anniversary”, **5:1** 2–18.
- Cox, Nicholas J. (2005) “Speaking Stata: Smoothing in various directions”, **5:4** 574–593.
- Cox, Nicholas J. (2005) “Speaking Stata: The protean quantile plot”, **5:3** 442–460.
- Cox, Nicholas J. (2005) “Stata tip 17: Filling in the gaps”, **5:1** 135–136.
- Cox, Nicholas J. (2005) “Stata tip 21: The arrows of outrageous fortune”, **5:2** 282–284.
- Cox, Nicholas J. (2005) “Stata tip 24: Axis labels on two or more levels”, **5:3** 469.
- Cox, Nicholas J. (2005) “Stata tip 27: Classifying data points on scatter plots”, **5:4** 604–606.
- Cox, Nicholas J. (2005) “Speaking Stata: Density probability plots”, **5:2** 259–273.
- Cox, Nicholas J. (2005) “Suggestions on Stata programming style”, **5:4** 560–566.
- Cox, Nicholas J. (2005): see Kantor, David **5:3** (2005) 413–420.
- Cox, Nicholas J. (2005): see Newton, H. Joseph **5:3** (2005) 287.
- Cox, Nicholas J. (2005): see Royston, Patrick **5:3** (2005) 405–412.
- Cui, James (2005) “Buckley-James method for analyzing censored data, with an application to a cardiovascular disease and an HIV/AIDS study”, **5:4** 517–526.

Cummings, Peter (2004) “Analysis of matched cohort data”, **4:3** 274–281.

D

Driver, Shannon (2004) “Stata tip 7: Copying and pasting under Windows”, **4:2** 220.

Driver, Shannon (2005) “Stata tip 18: Making keys functional”, **5:1** 137–138.

Drukker, David (2004): see Abadie, Alberto **4:3** (2004) 290–311.

Drukker, David M. (2002) “Bootstrapping a conditional moments test for normality after tobit estimation”, **2:2** 125–139.

Drukker, David M. (2003) “Testing for serial correlation in linear panel-data models”, **3:2** 168–177.

Dupont, William D. (2005) “Using density-distribution sunflower plots to explore bivariate relationships in dense data”, **5:3** 371–384.

E

Elo, Irma (2003): see Rodriguez, German **3:1** (2003) 32–46.

F

Feiveson, A. H. (2002) “Power by simulation”, **2:2** 107–124.

Fenty, Justin (2004) “Analyzing distances”, **4:1** 1–26.

Fewell, Zoe (2004) “Controlling for time-dependent confounding using marginal structural models”, **4:4** 402–420.

Fiorio, Carlo V. (2004) “Confidence intervals for kernel density estimation”, **4:2** 168–179.

Freese, Jeremy (2001): see Long, J. Scott **1:1** (2001) 51–57.

Freese, Jeremy (2002) “Review of Statistics with Stata (Updated for Version 7)”, **2:2** 223–225.

Freese, Jeremy (2002) “Least likely observations in regression models for categorical outcomes”, **2:3** 296–300.

G

Garrett, Joanne M. (2003) “Review of Statistical Modeling for Biomedical Researchers by Dupont”, **3:2** 203–207.

Gould, William (2001) “Statistical software certification”, **1:1** 29–50.

Gould, William (2003) “Stata tip 3: How to be assertive”, **3:4** 448.

Gould, William (2005) “Mata Matters: Using views onto the data”, **5:4** 567–573.

Gould, William (2005) “Mata matters: Translating Fortran”, **5:3** 421–441.

Greenwood, Philip (2003): see Carlin, John B. **3:3** (2003) 226–244.

Guan, Weihua (2002) “Programmable GLM: Two user-defined links”, **2:4** 378–390.

- Guan, Weihua (2003) “From the help desk: Bootstrapped standard errors”, **3:1** 71–80.
- Guimaraes, Paulo (2004) “ Understanding the multinomial-Poisson transformation”, **4:3** 265–273.
- Guimaraes, Paulo (2005) “A simple approach to fit the beta-binomial model ”, **5:3** 385–394.
- Gutierrez, Roberto G. (2002) “ Parametric frailty and shared frailty survival models”, **2:1** 22–44.
- Gutierrez, Roberto G. (2002): see Guan, Weihua **2:4** (2002) 378–390.
- Gutierrez, Roberto G. (2003) “From the help desk: Local polynomial regression and Stata plugins ”, **3:4** 412–419.

H

- Hailpern, Susan M. (2003) “ Odds ratios and logistic regression: further examples of their use and interpretation”, **3:3** 213–225.
- Hailpern, Susan M. (2005) “Teaching statistics to physicians using Stata”, **5:2** 248–258.
- Hamilton, Lawrence (2005) “A short history of Statistics with Stata”, **5:1** 35–37.
- Hanson, Michael S. (2005) “ Stata tip 26: Maximizing compatibility between ”, **5:4** 603.
- Harbord, Roger M. (2004): see Sterne, Jonathan A.C. **4:2** (2004) 127–141.
- Hardin, James W. (2002) “ The robust variance estimator for two-stage models”, **2:3** 253–266.
- Hardin, James W. (2003) “ Instrumental variables, bootstrapping, and generalized linear models ”, **3:4** 351–360.
- Hardin, James W. (2003) “ Measurement error, GLMs, and notational conventions”, **3:4** 329–341.
- Hardin, James W. (2003) “ The regression-calibration method for fitting generalized linear models with additive measurement error ”, **3:4** 361–372.
- Hardin, James W. (2003) “ The regression-calibration method for fitting generalized linear models with additive measurement error ”, **3:4** 373–385.
- Hardin, James W. (2003) “ Variance estimation for the instrumental variables approach to measurement error in generalized linear models ”, **3:4** 342–350.
- Harrison, David A. (2004) “Sample size and power calculations using the noncentral t-distribution”, **4:2** 142–153.
- Harrison, David A. (2005) “ Stata tip 20: Generating histogram bin variables ”, **5:2** 280–281.

Hassell, James (2004): see Linhart, Jean Marie **4:1** (2004) 56–65.
Heiss, Florian (2002) “Structural choice analysis with nested logit models”, **2:3** 227–252.
Hendrickx, John (2002) “Review of Regression Models for Categorical Dependent Variables Using Stata by Long and Freese”, **2:1** 103–105.
Hernán, Miguel A. (2004): see Fewell, Zoe **4:4** (2004) 402–420.
Herr, Jane Leber (2004): see Abadie, Alberto **4:3** (2004) 290–311.
Hesketh, Kylie (2004): see Vidmar, Suzanna **4:1** (2004) 50–55.
Higbee, Kenneth (2004) “Stata tip 14: Using value labels in expressions”, **4:4** 486–487.
Hilbe, Joseph M. (2005) “The birth of the bulletin ”, **5:1** 39–40.
Hosmer, David W. (2002) “Review of An Introduction to Survival Analysis Using Stata”, **2:4** 428–431.

I

Ichino, Andrea (2002): see Becker, Sascha O. **2:4** (2002) 358–377.
Imbens, Guido W. (2004): see Abadie, Alberto **4:3** (2004) 290–311.

J

Jann, Ben (2004) “Stata tip 8: Splitting time-span records with categorical time-varying covariates”, **4:2** 221–222.
Jann, Ben (2005) “Making regression tables from stored estimates”, **5:3** 288–308.
Jann, Ben (2005) “Tabulation of multiple responses”, **5:1** 93–122.
Jenkins, Stephen P. (2001): see Kerm, Philippe Van **1:1** (2001) 107–112.
Jenkins, Stephen P. (2003) “Review of Maximum Likelihood Estimation with Stata by Gould, Pitblado, and Sribney ”, **3:4** 440–444.
Jenkins, Stephen P. (2003): see Cappellari, Lorenzo **3:3** (2003) 278–294.
Jr., W. Dale Plummer, (2005): see Dupont, William D. **5:3** (2005) 371–384.
Juul, Svend (2003) “Lean mainstream schemes for Stata 8 graphics”, **3:3** 295–301.

K

Kantor, David (2005) “Depending on conditions: a tutorial on the cond() function ”, **5:3** 413–420.
Kerm, Philippe Van (2001) “Generalized Lorenz curves and related graphs: an update for Stata 7”, **1:1** 107–112.
Kerm, Philippe Van (2003) “Adaptive kernel density estimation”, **3:2** 148–156.

- Keshk, Omar M. G. (2003) “CDSIMEQ: A program to implement two-stage probit least squares”, **3:2** 157–167.
- Kim, Lois G. (2004) “Compliance-adjusted intervention effects in survival data”, **4:3** 257–264.
- Kohler, Ulrich (2003): see Cox, Nicholas J. **3:1** (2003) 81–99.
- Kohler, Ulrich (2004) “Review of A Visual Guide to Stata Graphics by Mitchell ”, **4:4** 476–479.
- Kohler, Ulrich (2005) “ Stata tip 16: Using input to generate variables”, **5:1** 134.
- Kohler, Ulrich (2005) “ Stata tip 25: Sequence index plots ”, **5:4** 601–602.
- Kohler, Ulrich (2005) “Data inspection using biplots”, **5:2** 208–233.

L

- Lachenbruch, Tony (2005) “ Memories of Stata”, **5:1** 38.
- Lemeshow, Stanley (2005) “ Review of Regression Methods in Biostatistics: Linear, Logistic, Survival, and Repeated Measures Models by Vittinghoff, Glidden, Shiboski, and McCulloch ”, **5:2** 274–278.
- Leon, Antonio Ponce de (2002): see Reichenheim, Michael E. **2:3** (2002) 267–279.
- Levinsohn, James (2004): see Petrin, Amil **4:2** (2004) 113–123.
- Li, Ning (2003): see Carlin, John B. **3:3** (2003) 226–244.
- Linhart, Jean Marie (2003): see Gutierrez, Roberto G. **3:4** (2003) 412–419.
- Linhart, Jean Marie (2004) “From the help desk: Kaplan-Meier plots with stsatrisk ”, **4:1** 56–65.
- Lokshin, Michael (2004) “Maximum likelihood estimation of endogenous switching regression models ”, **4:3** 282–289.
- Long, J. Scott (2001) “ Predicted probabilities for count models”, **1:1** 51–57.
- Long, J. Scott (2005): see Xu, Jun **5:4** (2005) 537–559.
- Luniak, Magdalena (2005): see Kohler, Ulrich **5:2** (2005) 208–233.

M

- Mander, A. P. (2001) “ Haplotype analysis in population-based association studies”, **1:1** 58–75.
- Mander, A. P. (2002) “ Analysis of quantitative traits using regression and log-linear modeling when phase is unknown”, **2:1** 65–70.
- McDowell, Allen (2001) “ From the help desk”, **1:1** 76–85.
- McDowell, Allen (2002) “ From the help desk: It’s all about the sampling”, **2:2** 190–201.
- McDowell, Allen (2002) “ From the help desk: Transfer functions”, **2:1** 71–85.

- McDowell, Allen (2003) “From the help desk: hurdle models”, **3:2** 178–184.
- McDowell, Allen (2004) “From the help desk: Polynomial distributed lag models”, **4:2** 180–189.
- McDowell, Allen (2004) “From the help desk: Seemingly unrelated regression with unbalanced equations ”, **4:4** 442–448.
- McGready, John (2003) “ Review of A Short Introduction to Stata For Biostatistics by Hills and De Stavola”, **3:1** 100–104.
- McKnight, Barbara (2004): see Cummings, Peter **4:3** (2004) 274–281.
- Miranda, Alfonso (2004) “ FIML estimation of an endogenous switching model for count data”, **4:1** 40–49.
- Mitchell, Michael N. (2005) “Visualizing main effects and interactions for binary logit models”, **5:1** 64–82.
- Moreira, Marcelo J. (2003) “ Implementing tests with correct size in the simultaneous equations model”, **3:1** 57–70.
- Müller, Daniel (2005) “Stata in space: Econometric analysis of spatially explicit raster data”, **5:2** 224–238.

N

- Nante, Nicola (2005): see Orsini, Nicola **5:3** (2005) 355–370.
- Newson, Roger (2001) “ Review of Generalized Linear Models and Extensions by Hardin and Hilbe”, **1:1** 98–100.
- Newson, Roger (2002) “ Parameters behind ”nonparametric” statistics: Kendall’s tau, Somers’ D and median differences”, **2:1** 45–64.
- Newson, Roger (2003) “ Confidence intervals and p-values for delivery to the end user”, **3:3** 245–269.
- Newson, Roger (2003) “ Multiple-test procedures and smile plots”, **3:2** 109–132.
- Newson, Roger (2003) “ Stata tip 1: The eform() option of regress ”, **3:4** 445.
- Newson, Roger (2004) “ Stata tip 13: generate and replace use the current sort order ”, **4:4** 484–485.
- Newson, Roger (2004) “ Stata tip 5: Ensuring programs preserve dataset sort order”, **4:1** 94.
- Newson, Roger (2004) “Generalized power calculations for generalized linear models and more ”, **4:4** 379–401.
- Newson, Roger (2005) “ Review of Generalized Latent Variable Modeling by Skrondal and Rabe-Hesketh ”, **5:1** 130–133.

Newton, H. Joseph (2003) “ The Stata Journal so far: Editors’ report”, **3**:2 105–108.

Newton, H. Joseph (2005) “ A conversation with William Gould ”, **5**:1 19–31.

Newton, H. Joseph (2005) “ Editorial Announcements”, **5**:3 287.

Norton, Edward C. (2004) “Computing interaction effects and standard errors in logit and probit models”, **4**:2 154–167.

O

Orsini, Nicola (2004): see Bottai, Matteo **4**:4 (2004) 429–435.

Orsini, Nicola (2005) “Introduction to game-theory calculations ”, **5**:3 355–370.

P

Perez-Hernandez, Marco A. (2003): see Salgado-Ugarte, Isaias H. **3**:2 (2003) 133–147.

Petrin, Amil (2004) “Production function estimation in Stata using inputs to control for unobservables”, **4**:2 113–123.

Pickles, Andrew (2002): see Rabe-Hesketh, Sophia **2**:1 (2002) 1–21.

Pickles, Andrew (2003): see Rabe-Hesketh, Sophia **3**:4 (2003) 386–411.

Pisati, Maurizio (2004) “ Simple thematic mapping ”, **4**:4 361–378.

Pitblado, Jeff (2002): see McDowell, Allen **2**:2 (2002) 190–201.

Pitblado, Jeffrey S. (2003): see Gutierrez, Roberto G. **3**:4 (2003) 412–419.

Pitblado, Jeffrey S. (2004): see Linhart, Jean Marie **4**:1 (2004) 56–65.

Poi, Brian P. (2002) “ From the help desk: Demand system estimation”, **2**:4 403–410.

Poi, Brian P. (2003) “From the help desk: Swamy’s random-coefficients model”, **3**:3 302–308.

Poi, Brian P. (2003): see Moreira, Marcelo J. **3**:1 (2003) 57–70.

Poi, Brian P. (2004) “From the help desk: Some bootstrapping techniques”, **4**:3 312–328.

Poi, Brian P. (2004): see Petrin, Amil **4**:2 (2004) 113–123.

R

Rabe-Hesketh, Sophia (2002) “ Reliable estimation of generalized linear mixed models using adaptive quadrature”, **2**:1 1–21.

Rabe-Hesketh, Sophia (2003) “ Maximum likelihood estimation of generalized linear models with covariate measurement error ”, **3**:4 386–411.

Reichenheim, Michael E. (2002) “ Estimation of sensitivity and specificity arising from validity studies with incomplete designs”, **2**:3 267–279.

Reichenheim, Michael E. (2002) “ Two-graph receiver operating characteristic ”, **2:4** 351–357.

Reichenheim, Michael E. (2004) “ Confidence intervals for the kappa statistic ”, **4:4** 421–428.

Rizzuto, Debora (2005): see Orsini, Nicola **5:3** (2005) 355–370.

Rodriguez, German (2003) “ Intra-class correlation in random-effects models for binary data ”, **3:1** 32–46.

Royston, Patrick (2001) “ Flexible alternatives to the Cox model, and more ”, **1:1** 1–28.

Royston, Patrick (2001) “ Sort a list of items ”, **1:1** 105–106.

Royston, Patrick (2002) “ A menu-driven facility for complex sample size calculation in randomized controlled trials with a survival or a binary outcome ”, **2:2** 151–163.

Royston, Patrick (2002): see W.Hosmer, David **2:4** (2002) 331–350.

Royston, Patrick (2004) “ Multiple imputation of missing values ”, **4:3** 227–241.

Royston, Patrick (2004) “ Stata tip 11: The nolog option with maximum-likelihood modeling commands ”, **4:3** 356.

Royston, Patrick (2004) “Flexible parametric alternatives to the Cox model: update”, **4:1** 98–101.

Royston, Patrick (2004): see Driver, Shannon **4:2** (2004) 220.

Royston, Patrick (2005) “ Stata tip 19: A way to leaner, faster graphs ”, **5:2** 279.

Royston, Patrick (2005) “A multivariable scatterplot smoother”, **5:3** 405–412.

Royston, Patrick (2005) “Multiple imputation of missing values: Update of ice”, **5:4** 527–536.

Royston, Patrick (2005) “Multiple imputation of missing values: update ”, **5:2** 188–201.

Royston, Patrick (2005) “Stata at 20: a personal view”, **5:1** 43–45.

Royston, Patrick (2005): see Barthel, Friederike M.-S. **5:1** (2005) 123–129.

Ryan, Philip (2004) “ Stata tip 10: Fine control of axis title positions ”, **4:3** 354–355.

Ryan, Philip (2004) “ Stata tip 4: Using display as an online calculator ”, **4:1** 93.

Ryan, Philip (2005) “ Stata tip 22: Variable name abbreviation ”, **5:3** 465–466.

S

- Sajaia, Zurab (2004): see Lokshin, Michael **4:3** (2004) 282–289.
- Salgado-Ugarte, Isaias H. (2003) “ Exploring the use of variable bandwidth kernel density estimators”, **3:2** 133–147.
- Saunders, Catherine L. (2003) “ Sample size calculations for main effects and interactions in case-control studies using Stata’s nchi2 and npnchi2 functions”, **3:1** 47–56.
- Schaffer, Mark E. (2003): see Baum, Christopher F **3:1** (2003) 1–31.
- Schmeidiche, Henrik (2003): see Hardin, James W. **3:4** (2003) 351–360.
- Schmeidiche, Henrik (2003): see Hardin, James W. **3:4** (2003) 361–372.
- Schmeidiche, Henrik (2003): see Hardin, James W. **3:4** (2003) 373–385.
- Schonlau, Matthias (2002) “ The clustergram: A graph for visualizing hierarchical and nonhierarchical cluster analyses”, **2:4** 391–402.
- Schonlau, Matthias (2005) “Boosted regression (boosting): An introductory tutorial and a Stata plugin ”, **5:3** 330–354.
- Schumm, L. Philip (2005) “ Review of Data Analysis Using Stata by Kohler and Kreuter ”, **5:4** 594–600.
- Skrondal, Anders (2002): see Rabe-Hesketh, Sophia **2:1** (2002) 1–21.
- Skrondal, Anders (2003): see Rabe-Hesketh, Sophia **3:4** (2003) 386–411.
- Slaymaker, Emma (2005) “Using the file command to produce formatted output for other applications”, **5:2** 239–247.
- Smeeton, Nigel (2003) “Do-it-yourself shuffling and the number of runs under randomness”, **3:3** 270–277.
- Steichen, Thomas J. (2002) “A note on the concordance correlation coefficient”, **2:2** 183–189.
- Steichen, Thomas J. (2004) “Submenus and dialogs for meta-analysis commands”, **4:2** 124–126.
- Sterne, Jonathan A. C. (2002) “ G-estimation of causal effects, allowing for time-varying confounding”, **2:2** 164–182.
- Sterne, Jonathan A. C. (2004): see Fewell, Zoe **4:4** (2004) 402–420.
- Sterne, Jonathan A.C. (2004) “ Funnel plots in meta-analysis”, **4:2** 127–141.
- Stewart, Mark B. (2004) “Semi-nonparametric estimation of extended ordered probit models”, **4:1** 27–39.
- Stillman, Steven (2003) “ Review of Generalized Estimating Equations by Hardin and Hilbe”, **3:2** 208–210.
- Stillman, Steven (2003): see Baum, Christopher F **3:1** (2003) 1–31.

T

Team, The ALSPAC Study (2003): see Newson, Roger **3:2** (2003) 109–132.
Tilling, Kate (2002): see Sterne, Jonathan A. C. **2:2** (2002) 164–182.
Tilling, Kate (2004): see Fewell, Zoe **4:4** (2004) 402–420.

V

Vidmar, Suzanna (2004) “ Standardizing anthropometric measures in children and adolescents with new functions for egen ”, **4:1** 50–55.
Visintainer, Paul F. (2003): see Hailpern, Susan M. **3:3** (2003) 213–225.

W

W.Hosmer, David (2002) “ Using Aalen’s linear hazards model to investigate time-varying effects in the proportional hazards regression model ”, **2:4** 331–350.
Walker, Sarah (2002): see White, Ian R. **2:2** (2002) 140–150.
Wang, Hua (2004): see Norton, Edward C. **4:2** (2004) 154–167.
Watson, Ian (2005) “Further processing of estimation results: Basic programming with matrices”, **5:1** 83–91.
Weesie, Jeroen (2005) “ Value label utilities: labeldup and labelrename ”, **5:2** 154–161.
Weesie, Jeroen (2005) “Multilingual datasets ”, **5:2** 162–187.
White, Ian R. (2002) “ strbee: Randomization-based efficacy estimator ”, **2:2** 140–150.
White, Ian R. (2004): see Kim, Lois G. **4:3** (2004) 257–264.
Williams, Richard (2004) “Review of Statistics with Stata (Updated for Version 8) by Hamilton ”, **4:2** 216–219.
Winter, Nicholas (2004) “Review of A Handbook of Statistical Analyses Using Stata by Rabe-Hesketh and Everitt ”, **4:3** 350–353.
Winter, Nicholas (2004): see Ryan, Philip **4:3** (2004) 354–355.
Winter, Nicholas J.G. (2005) “ Stata tip 23: Regaining control over axis ranges ”, **5:3** 467–468.
Wolfe, Frederick (2004): see Fewell, Zoe **4:4** (2004) 402–420.

X

Xu, Jun (2005) “Confidence intervals for predicted outcomes in regression models for categorical outcomes ”, **5:4** 537–559.