

On Leverage in a Stochastic Volatility Model*

Jun Yu[†]

February 26, 2004

Abstract

This paper is concerned with specification for modelling financial leverage effect in the context of stochastic volatility (SV) models. Two alternative specifications co-exist in the literature. One is the Euler approximation to the well known continuous time SV model with leverage effect and the other is the discrete time SV model of Jacquier, Polson and Rossi (2004, Journal of Econometrics, forthcoming). Using a Gaussian nonlinear state space form with uncorrelated measurement and transition errors, I show that it is easy to interpret the leverage effect in the conventional model whereas it is not clear how to obtain the leverage effect in the model of Jacquier et al. Empirical comparisons of these two models via Bayesian Markov chain Monte Carlo (MCMC) methods reveal that the specification of Jacquier et al is inferior. Simulation experiments are conducted to study the sampling properties of the Bayes MCMC for the conventional model.

JEL classification: C11, C15, G12

Keywords: Bayes factors; Leverage effect; Markov chain Monte Carlo; Nonlinear state space models; Quasi maximum likelihood.

1 Introduction

Stochastic volatility (SV) models have gained much attention both in the option pricing literature and financial econometrics literature (see Ghysels, Harvey and Renault (1996)

*I gratefully acknowledge financial support from Singapore Management University and the Royal Society of New Zealand Marsden Fund under number 01-UOA-015. I also wish to thank Eric Jacquier, John Maheu, Nick Polson, Peter Robinson, Yue Xu and especially Neil Shephard and Mike McAleer for comments on an earlier version of the paper and Hamish Egan for his excellent research assistance. I would like to thank two anonymous referees for their constructive comments that have substantially improved the paper. BUGS programs and data used in this paper can be downloaded from my web site <http://yoda.eco.auckland.ac.nz/~jyu/research.html>.

[†]School of Economics and Social Science, Singapore Management University, 469 Bukit Timah Road, Singapore 259756; email: yujun@smu.edu.sg.

and Shephard (1996) for reviews of SV models and their applications). For example, Melino and Turnbull (1990) show that prices of European call options on currencies based on the basic SV models are more accurate than those based on the Black-Scholes model. Kim, Shephard and Chib (1998) provide evidence of better in-sample-fit of the basic SV model relative to GARCH-type models. Despite these documented advantages, it is known that the basic SV model can be too restrictive for many financial time series.

An important and well documented empirical feature in many financial time series is the financial leverage effect (Black, 1976, Christie, 1982, and Engle and Ng, 1993). When such an asymmetric feature is not permitted in the SV model, option prices could be biased substantially (Hull and White, 1987). Motivated from this empirical evidence, Harvey and Shephard (1996) propose a SV model with leverage effect which is termed the asymmetric SV (ASV1 hereafter) model. This model is the Euler approximation to the continuous time asymmetric SV model widely used in the option price literature; see for example Hull and White (1987), Wiggins (1987), and Chesney and Scott (1989). Harvey and Shephard fit the model to stock data using the quasi-maximum likelihood (QML) method while Meyer and Yu (2000) fit it to a exchange rate series using a Bayesian Markov chain Monte Carlo (MCMC) method. Both papers find overwhelming evidence of leverage effect. Motivated from the same empirical evidence, Jacquier, Polson and Rossi (2004) generalize the basic SV model by incorporating a feedback feature which is also termed the leverage effect (ASV2 hereafter). A Bayesian MCMC approach is then developed to estimate the ASV2 model and strong evidence of “leverage effect” is found in most financial time series considered. Chan, Kohn and Kirby (2004) extend the specification of Jacquier et al into a multivariate setting. Unfortunately, these two specifications are not identical although both are claimed to be able to capture the leverage effect. They differ in how the correlation of two error processes is modelled.

The main purpose of this paper is to compare these two alternative specifications. The results obtained in the present paper show that the ASV2 model is inferior to the

ASV1 model judged from both theoretical and empirical view points. Firstly, the ASV2 model is not consistent with the efficient market hypothesis because the model is not a martingale difference sequence. Secondly, while it is clear to interpret the leverage effect using a parameter in the ASV1 model, the strict interpretation of leverage is not obvious in the ASV2 model. Finally, I find the ASV2 model is empirically inferior to the ASV1 model when S&P500 and Center for Research in Security Prices (CRSP) data are used.

To relate both SV models to the financial leverage effect, I derive a Gaussian nonlinear state space representation for each model. I then fit them to two stock indices using a Bayesian MCMC method. The main reason to choose the MCMC method for inferences is due to a result obtained by Andersen, Chung and Sorensen (1999) in a Monte Carlo study, where MCMC is found to be one of the most efficient tools for estimating the basic SV model. This finding is not surprising since MCMC provides a fully likelihood-based inference (Jacquier et al, 1994).

The remainder of the article is organized as follows. Section 2 compares the two asymmetric SV models from theoretical view points. Section 3 discusses methods for parameter estimation and for model comparison. The methods are then applied to actual return series in Section 4. In Section 5, I present the sampling properties of MCMC for the ASV1 model. Section 6 concludes.

2 Leverage Effect and Asymmetric Stochastic Volatility Models

The relationship between volatility and price/return has been a subject under the extensive study. The usual claim is that when there is bad news, which decreases the price and hence increases the debt-to-equity ratio (i.e. financial leverage), this makes the firm riskier and hence tends to cause an increase in future expected volatility. As a result, the leverage effect must correspond to a negative relationship between volatility and price/return. Black (1976) and Christie (1982) have found empirical evidence of this

leverage effect, i.e., volatility tends to rise in response to bad news but fall in response to good news. Christie (1982) provides a theoretical explanation of leverage effect under a Modigliani/Miller economy.

Depending on how volatility is defined, various approaches have been suggested to testing the leverage effect in the literature. By computing quarterly volatility from daily data, Christie (1982) postulates a parametric form to relate volatility to return, enabling a simple test of leverage effect. In the ARCH literature, often the conditional variance is specified to be a function of the size as well as the sign of return (Glosten, Jagannathan and Runkle, 1993 and Nelson, 1991). Then the asymmetric response of volatility to return is tested by checking the significance of relevant coefficient. In the SV literature, Harvey and Shephard (1996) relate the filtered volatility to the sign of return. In the present paper I define the leverage effect by a negative relationship between $E(\ln \sigma_{t+1}^2 | X_t)$ and X_t , where X_t is the return at period t and σ_t^2 the return volatility at period t .

In the option pricing literature, the asymmetric SV model is often formulated in terms of stochastic differential equations. The widely used asymmetric SV model specifies the following equations for the logarithmic asset price $s(t)$ and the corresponding volatility $\sigma^2(t)$,

$$\begin{cases} ds(t) &= \sigma(t)dB_1(t), \\ d \ln \sigma^2(t) &= \alpha + \beta \ln \sigma^2(t)dt + \sigma_v dB_2(t), \end{cases} \quad (2.1)$$

where $B_1(t)$ and $B_2(t)$ are two Brownian motions, $\text{corr}(dB_1(t), dB_2(t)) = \rho$ and $s(t) = \ln S(t)$ with $S(t)$ being the asset price. When $\rho < 0$ we have the leverage effect.

In the empirical literature the above model is often discretized to facilitate estimation. For instance, the Euler-Maruyama approximation leads to the discrete time ASV1 model:

$$\begin{cases} X_t &= \sigma_t u_t, \\ \ln \sigma_{t+1}^2 &= \alpha + \phi \ln \sigma_t^2 + \sigma_v v_{t+1}, \end{cases} \quad (2.2)$$

where $X_t = s(t+1) - s(t)$ is a continuously compounded return, $u_t = B_1(t+1) - B_1(t)$, $v_{t+1} = B_2(t+1) - B_2(t)$, $\phi = 1 + \beta$. Hence, u_t and v_t are iid $N(0, 1)$ and $\text{corr}(u_t, v_{t+1}) = \rho$.

This ASV1 model is estimated by a quasi maximum likelihood method in Harvey and Shephard (1996) and by MCMC in Meyer and Yu (2000).

Comparing equation (2.2) with equation (8) in Jacquier et al (2004), I note a small but important difference. Instead of assuming $\text{corr}(u_t, v_{t+1}) = \rho$, Jacquier et al adopt the specification of $\text{corr}(u_t, v_t) = \rho$. One implication is, as argued in Harvey and Shephard (1996), that the ASV1 model is a martingale difference sequence whereas ASV2 is not and hence not even consistent with the efficient market hypothesis. This is obvious because for the ASV1 model, we have

$$E(X_{t+1}|X_t, \sigma_t) = e^{\frac{1}{2}(\alpha + \ln \sigma_t^2)} E(e^{\frac{1}{2}\sigma_v v_{t+1}}) E(u_{t+1}|X_t, \sigma_t) = 0.$$

However, for the ASV2 model, we have

$$E(X_{t+1}|X_t, \sigma_t) = e^{\frac{1}{2}(\alpha + \ln \sigma_t^2)} E(e^{\frac{1}{2}\sigma_v v_{t+1}} u_{t+1}|X_t, \sigma_t) = \frac{1}{2} \rho \sigma_v e^{\frac{1}{2}(\alpha + \ln \sigma_t^2)} e^{\frac{1}{8}\sigma_v^2},$$

and then

$$E(X_{t+1}|X_t) = E[E(X_{t+1}|X_t, \sigma_t)] = \frac{1}{2} \rho \sigma_v \exp\left\{\frac{2-\phi}{2-2\phi}\alpha + \frac{2-\phi^2}{8-8\phi^2}\sigma_v^2\right\}.$$

This quantity is different from zero unless ρ is zero. For example, using the empirical estimates for S&P500 (see Table 1) and CRSP (see Table 3), I find $E(X_{t+1}|X_t) = -0.035$ and -0.063 . These correspond respectively to an annual return of -8.75% and -15.75% . These figures, particularly the latter one, seems economically substantial.

To fully understand the linkage of these two alternative specifications to the leverage effect, it is convenient to adopt a Gaussian nonlinear state space form with uncorrelated measurement and transition equation errors. To do this, denote $w_{t+1} \equiv (v_{t+1} - \rho u_t) / \sqrt{1 - \rho^2}$ and rewrite equation (2.2) as

$$\begin{cases} X_t &= \sigma_t u_t, \\ \ln \sigma_{t+1}^2 &= \alpha + \phi \ln \sigma_t^2 + \rho \sigma_v \sigma_t^{-1} X_t + \sigma_v \sqrt{1 - \rho^2} w_{t+1}, \end{cases} \quad (2.3)$$

where w_t is iid $N(0, 1)$ and $\text{corr}(u_t, w_{t+1}) = 0$. Obviously, $E(\ln \sigma_{t+1}^2 | X_t, \sigma_t) = \alpha + \phi \ln \sigma_t^2 + \rho \sigma_v \sigma_t^{-1} X_t$ which implies that $E(\ln \sigma_{t+1}^2 | X_t) = \alpha + \frac{\alpha \phi}{1 - \phi^2} + \rho \sigma_v \exp\left(-\frac{\sigma_v^4}{4(1 - \phi^2)^2} + \frac{\sigma_v^2 \alpha}{(1 - \phi^2)(1 - \phi)}\right) X_t$.

This is a linear function in X_t and implies that, if $\rho < 0$ and holding everything else constant, a fall in the stock price/return leads to an increase of $E(\ln \sigma_{t+1}^2 | X_t)$ and thus the leverage effect is ensured.

Using the same approach, I rewrite equation (8) in Jacquier et al (2004) in the following Gaussian nonlinear state space form:

$$\begin{cases} X_t &= \sigma_t u_t, \\ \ln \sigma_{t+1}^2 &= \alpha + \phi \ln \sigma_t^2 + \rho \sigma_v \sigma_{t+1}^{-1} X_{t+1} + \sigma_v \sqrt{1 - \rho^2} w_{t+1}, \end{cases} \quad (2.4)$$

where w_t is iid $N(0, 1)$ and $\text{corr}(u_t, w_t) = 0$. As a result, we have $E(\ln \sigma_{t+1}^2 | X_t, \sigma_t) = \alpha + \phi \ln \sigma_t^2 + \rho \sigma_v E(\sigma_{t+1}^{-1} X_{t+1} | X_t, \sigma_t)$. Because σ_{t+1}^2 appears at both sides of the equation and also because of the nonlinearity in $\sigma_{t+1}^{-1} X_{t+1}$, it is not so easy, if not impossible, to obtain the relationship between $E(\ln \sigma_{t+1}^2 | X_t)$ and X_t in analytical form, and hence not clear how to interpret the leverage effect in the ASV2 model. This is in sharp contrast to the ASV1 model where the interpretation of leverage effect is obvious.

3 Methods for Estimation and Model Comparison

3.1 Method for Estimation

Although in the literature many estimation methods have been suggested to fit the basic SV model, only a subset was used to estimate asymmetric SV models. In this paper, a Bayesian MCMC method is my choice for estimation and inferences. I refer readers to Chib (2001) for a recent survey on MCMC in a general context.

Various MCMC algorithms have been proposed to sample the parameters in the context of the basic SV model. An early example is the single-move Metropolis-Hastings (MH) algorithm developed by Jacquier et al (1994). It has been shown in Kim et al (1998) that for the basic SV model a single-move algorithm is not very efficient from a simulation perspective because the components of $\{\ln \sigma_t^2\}$ are highly correlated. To achieve better simulation efficiency, Kim et al (1998) develop several multi-move algorithms, all based on a log-squared transformation of return and an offset mixture approximation to a $\ln \chi^2$

distribution. The evidence of drastic reduction in simulation inefficiency is found when estimating the basic SV model. The algorithms are further modified in Chib, Nardari and Shephard (2002) to successfully estimate several more complex SV specifications. However, because the algorithms developed in Kim et al (1998) and Chib et al (2002) rely on the log-squared transformation, such a transformation would lose the information on the dependence between the two error terms (Harvey and Shephard, 1996) and hence these algorithms are not directly applicable to the asymmetric SV models studied here.

In the present paper I make use of the all purpose Bayesian software package BUGS to estimate asymmetric SV models and it does not require any transformation. Since the full conditional distributions are not log-concave for the asymmetric SV models, a MH updating step is needed. A drawback with BUGS is that the algorithm is single-move and hence cannot be simulation-efficient. However, as in Meyer and Yu (2000), I also found that the simulation inefficiency is less a problem for the asymmetric SV models than that for the basic SV model (see Section 5 below). Furthermore, results obtained a simulation study (see Section 6 below) clearly show that BUGS produces reliable results. An advantage of using BUGS lies in its ease of implementation. For example, following Meyer and Yu (2000), the ASV1 and ASV2 models can be rewritten, respectively, by

$$\begin{aligned} h_{t+1}|h_t, \alpha, \phi, \sigma_v^2 &\sim N(\alpha + \phi h_t, \sigma_v^2), \\ X_t|h_{t+1}, h_t, \alpha, \phi, \sigma_v^2, \rho &\sim N\left(\frac{\rho}{\sigma_v} e^{h_t/2}(h_{t+1} - \alpha - \phi h_t), e^{h_t}(1 - \rho^2)\right), \end{aligned}$$

and

$$\begin{aligned} h_t|h_{t-1}, \alpha, \phi, \sigma_v^2 &\sim N(\alpha + \phi h_{t-1}, \sigma_v^2), \\ X_t|h_t, h_{t-1}, \alpha, \phi, \sigma_v^2, \rho &\sim N\left(\frac{\rho}{\sigma_v} e^{h_t/2}(h_t - \alpha - \phi h_{t-1}), e^{h_t}(1 - \rho^2)\right), \end{aligned}$$

where $h_t = \ln \sigma_t^2$. These representations permit straightforward Bayesian MCMC parameter estimation using BUGS (see Meyer and Yu (2000) for details).

Regarding the prior distributions, for the parameters ϕ and σ_v^2 , I follow exactly the prior specifications of Kim, Shephard and Chib (1998): $\sigma_v^2 \sim \text{Inverse-Gamma}(2.5, 0.025)$

which has a mean of 0.167 and a standard deviation of 0.024 and $\phi^* \sim$ Beta-distribution with parameters 20 and 1.5 which has a mean of 0.167 and a standard deviation of 0.86 and 0.11, where $\phi^* = (\phi + 1)/2$. Following Meyer and Yu (2000), I assume $\mu \sim N(0,25)$ where $\mu = \alpha/(1 - \phi)$. The correlation parameter ρ is assumed to be uniformly distributed with support between -1 and 1 and hence is completely flat.

In all cases I choose a burn-in period of 10,000 iterations and a follow-up period of 100,000.¹ The MCMC sampler is initialized by setting $\mu = 0, \phi = 0.98, \sigma_v^2 = 0.025$, and $\rho = -0.4$. As it is important to check convergence to ensure that the sample is drawn from the stationary distribution, all the results reported in this paper are based on samples which have passed the Heidelberger and Welch convergence test for all parameters.

3.2 Methods for Model Comparison

The first method that I use to compare the two asymmetric SV models is via Bayes factors. Specifically, I calculate the Bayes factors using the marginal likelihood approach of Chib (1995). Chib's method is only briefly summarized here but I refer readers to Chib (1995) for further details.

Define $m(y), f(y|z), \pi(z|y), \pi(z)$ to be the marginal likelihood of the model, the likelihood of the model, the posterior distribution of the parameters, and the prior distribution of the parameters, where y and z denote, respectively, the vectors of observations and parameters. Bayes' theorem implies that

$$\ln L = \ln m(y) = \ln f(y|z) + \ln \pi(z) - \ln \pi(z|y). \quad (3.5)$$

Following the suggestion in Chib (1995), I calculate the log-marginal likelihood $\ln L$ at the posterior means of parameters (say, \bar{z}), which hence requires evaluation of $\ln f(y|\bar{z})$, $\ln \pi(\bar{z})$ and $\ln \pi(\bar{z}|y)$. Calculation of $\ln \pi(\bar{z})$ is trivial. An approximation to $\ln \pi(\bar{z}|y)$ can be obtained by using a multivariate kernel density estimate and this was suggested in Kim

¹By iterating the BUGS algorithm for 1,100,000 times with the first 100,000 iterations discarded, I find almost identical empirical results.

et al (1998). The difficult part in the calculation of the log-marginal likelihood value lies in the evaluation of the log-likelihood value at posterior means. This is because $\ln f(y|z)$ has no analytical form for the SV models as it is marginalized over the latent states $\{\ln \sigma_t^2\}$. In this paper I utilize a Monte Carlo method, that is a particle filter algorithm proposed by Kitigawa (1996) with 50000 particles. This method is applicable to a broad class of nonlinear non-Gaussian state space models with uncorrelated measurement and transition errors.

To employ Kitagawa's algorithm I rewrite ASV1 and ASV2 by, respectively,

$$\begin{cases} X_t &= \sigma_t u_t, \\ \ln \sigma_{t+1}^2 &= \alpha + \phi \ln \sigma_t^2 + \rho \sigma_v \sigma_t^{-1} X_t + \sigma_v \sqrt{1 - \rho^2} w_{t+1}, \end{cases} \quad (3.6)$$

and

$$\begin{cases} X_t &= \sigma_t (\sqrt{1 - \rho^2} \epsilon_t + \frac{\rho}{\sigma_v} (\ln \sigma_t^2 - \alpha - \phi \ln \sigma_{t-1}^2)), \\ \ln \sigma_t^2 &= \alpha + \phi \ln \sigma_{t-1}^2 + \sigma_v v_t, \end{cases} \quad (3.7)$$

where $w_{t+1} = (v_{t+1} - \rho u_t) / \sqrt{1 - \rho^2}$ and $\epsilon_t = (u_t - \rho v_t) \sqrt{1 - \rho^2}$. Hence $\text{corr}(u_t, w_{t+1}) = 0$ in equation (3.6) and $\text{corr}(\epsilon_t, v_t) = 0$ in equation (3.7).

An alternative way for comparing the two asymmetric SV models is to nest them into a single model. To do so, consider the following specification,

$$\begin{cases} X_t &= \sigma_t u_t, \\ \ln \sigma_{t+1}^2 &= \alpha + \phi \ln \sigma_t^2 + \sigma_v (\rho_1 u_t + \rho_2 u_{t+1} + \sqrt{1 - \rho_1^2 - \rho_2^2} w_{t+1}), \end{cases} \quad (3.8)$$

where both u_t and w_t are iid $N(0, 1)$ and $\text{corr}(u_t, w_{t+1}) = 0$. Define $\rho_1 u_t + \rho_2 u_{t+1} + \sqrt{1 - \rho_1^2 - \rho_2^2} w_{t+1}$ by v_{t+1} . It can be seen that $\text{corr}(u_t, v_t) = \rho_2$ and $\text{corr}(u_t, v_{t+1}) = \rho_1$. Hence in this model I allow correlation at both time lags, but with possibly different degrees of correlation. When $\rho_1 = 0$ we have the ASV2 model, but when $\rho_2 = 0$ we have the ASV1 model.

To make use of BUGS, I obtain the following state and observation equations for the

encompassed model:

$$\begin{aligned} h_{t+1}|h_t, h_{t-1}, \alpha, \phi, \sigma_v^2 &\sim N(\alpha + \phi h_t + \rho_1 \rho_2 (h_t - \alpha - \phi h_{t-1}), \sigma_v^2 (1 - \rho_1^2 \rho_2^2)), \\ X_t|h_{t+1}, h_t, h_{t-1}, \alpha, \phi, \sigma_v^2, \rho_1, \rho_2 &\sim N\left(\frac{e^{h_t/2}}{\sigma_v(1 + \rho_1 \rho_2)}(\rho_2(h_t - \alpha - \phi h_{t-1}) + \right. \\ &\quad \left. \rho_1(h_{t+1} - \alpha - \phi h_t)), e^{h_t}(1 - \frac{\rho_1^2 + \rho_2^2}{1 + \rho_1 \rho_2})\right). \end{aligned}$$

As to the prior distributions, I adopt the same specifications for μ , ϕ and σ_v^2 as before. For both ρ_1 and ρ_2 I assume a uniform prior with support between -1 and 1.

To evaluate the log-likelihood value at the posterior means, I rewrite the model using the following nonlinear state space form with uncorrelated errors,

$$\begin{cases} X_t &= \sigma_t \left\{ \sqrt{\frac{1 - \rho_1^2 - \rho_2^2}{1 - \rho_1^2}} e_t + \frac{\rho_2}{\sigma_v(1 - \rho_1^2)} (\ln \sigma_t^2 - \alpha - \phi \ln \sigma_{t-1}^2 - \sigma_v \rho_1 X_{t-1} \sigma_{t-1}^{-1}) \right\}, \\ \ln \sigma_t^2 &= \alpha + \phi \ln \sigma_{t-1}^2 + \rho_1 \sigma_v X_{t-1} \sigma_{t-1}^{-1} + \sigma_v \sqrt{1 - \rho^2} v_t \end{cases},$$

where e_t is iid $N(0, 1)$ and $\text{corr}(e_t, v_t) = 0$.

4 Empirical Results

As argued in Section 2, the ASV1 model is theoretically appealing relative to the ASV2 model. However, ASV2 is not necessarily a worse model in practice and hence it is interesting to compare the empirical performance of these two alternative specifications. In this section I employ two stock indices to make empirical comparisons. The first series contains 2022 daily returns of S&P500 from January 1980 to December 1987 while the second one contains 2529 daily returns of CRSP from January 1986 to December 1995.

In Table 1 I summarize the results for the S&P500 from the two asymmetric SV models, including the posterior means, standard deviations, 95% Bayes confidence intervals, simulation inefficiency factors for all the parameters, and the log marginal likelihood for both models. Although the estimate of ρ in both models is significant, it is markedly smaller in the ASV2 model. This suggests that if the leverage effect were estimated from the ASV2 model, it would be underestimated in magnitude by about 20%. Using the log marginal likelihood values I obtain the Bayes factor of ASV1 over ASV2 which is

4836.758. This indicates decisive evidence in favor of ASV1 against ASV2.² Simulation inefficiency factors are of similar size to those reported in the literature when a single-move algorithm is used (see, for example, Table 1 in Kim et al, 1998). For the purpose of comparison, I also estimated the basic SV model in BUGS using the same dataset and found evidence of better mixing in the asymmetric SV models. For example, in the basic SV model the inefficient factor for σ_v is 263.29 which is 27% and 21% higher than that in the two asymmetric SV models. This finding is consistent with that reached in Meyer and Yu (2000).

Table 2 reports the estimation results for the S&P500 from the encompassed model, including the posterior means, standard deviations, 95% Bayes confidence intervals, simulation inefficiency factors for all the parameters, and the log marginal likelihood value. The posterior mean of ρ_1 is -0.3006 while the posterior mean of ρ_2 is -0.2211. They compare to the posterior mean of -0.3179 in the ASV1 model and the posterior mean of -0.2599 in the ASV2 model. The 95% posterior credibility interval for ρ_1 is $[-0.4718, -0.1381]$ which indicates the presence of a significant negative correlation between u_t and v_{t+1} . The 95% posterior credibility interval for ρ_2 is $[-0.3915, -0.087]$ which suggests some but weaker evidence of negative correlation between u_t and v_t . The marginal likelihood values from the encompassed model and ASV2 differs by 3.86, which suggests substantial evidence in favor of the encompassed specification against ASV2 according to Jeffrey's Bayes factor scale (see Chib et al (2002) Section 2.3). On the other hand, the marginal likelihood values from the conventional specification and the encompassed model differs by 1252.63 which suggests decisive evidence in favor of ASV1 against the encompassed specification. The overall ranking of three models is the ASV1 model comes first, followed by the encompassed A-SV model and then the ASV2 model.

²Although only results based on Chib's method are reported here, I also calculate the harmonic mean estimates of marginal likelihood proposed by Newton and Raftery (1994) and deviance information criterion (DIC) proposed by Spiegelhalter, Best, Carlin and van der Linde (2002). Berg, Meyer and Yu (2004) compare the performance of Chib's method, harmonic mean estimate and DIC in the context of SV models and find that both the harmonic mean estimate and DIC are effective tools for comparing SV models. With these two alternative criteria, I still find strong evidence against the ASV2 model.

Table 3 summarizes the results for CRSP from the two competing models and the encompassed model, including the posterior means, 95% Bayes confidence intervals for all the parameters, and the log marginal likelihood values. All the main empirical results are similar to before. For example, the posterior mean of ρ is smaller in ASV2 than that in ASV1. In the encompassed model the posterior mean of ρ_2 is much smaller than that of ρ_1 and also smaller than that in ASV2. The 95% posterior credibility interval for ρ_1 indicates the presence of a significant negative correlation between u_t and v_{t+1} . The 95% posterior credibility interval for ρ_2 suggests some but weaker evidence of negative correlation between u_t and v_t . Bayes factors indicate decisive evidence in favor of ASV1 and the encompassed model against ASV2. Although the encompassed model has the largest marginal likelihood value, the evidence in favor of it against ASV1 is “not worth more than a bare mention”. All the empirical results obtained from CRSP reinforce the superiority of ASV1 over ASV2.

5 Simulation Results

Since the ASV2 specification is neither theoretically appealing nor empirically supported by the real data, the sampling properties of the Bayes estimator reported in Jacquier et al (2004) are not practically relevant. Although the sampling properties of Bayes estimator for the continuous time asymmetric SV model are examined in Eraker, Johannes and Polson (2003), to the best of my knowledge, the sampling properties remain unknown for the ASV1 model. On the other hand, understanding the finite sample performance of Bayes MCMC estimator is important from several aspects. First, it checks the reliability of the proposed Bayes MCMC estimators for the ASV1 model, in particular for the new parameter, ρ . Second, since more estimation tools have been developed to estimate the discrete time asymmetric SV models than to the continuous time asymmetric SV model, it is interesting to compare directly the performance of Bayes MCMC estimates with other estimates in the discrete time context. In this section, sampling experiments are designed

to obtain sampling properties of the proposed MCMC estimates for the ASV1 model.³

In the first experiment I use a similar parameter setting to that in Jacquier et al (2004). 100 samples of 1000 observations are simulated from ASV1.⁴ Simulation results such as the sample average and sample root mean square error (RMSE) are given in Table 4. The results indicate that the proposed Bayes MCMC method is quite reliable.

In the second experiment I adopt a same parameter setting as in Harvey and Shephard (1996) and hence can compare the relative efficiency of the Bayes MCMC estimate to the QML estimate of Harvey and Shephard (1996). Table 5 reports the means and RMSEs of all the estimates. The simulation results for the QML estimates are obtained directly from Harvey and Shephard (1996). My results are computed using 100 replications whereas Harvey and Shephard's results are based on 1000 replications. As expected, since MCMC is a fully likelihood-based method, it always performs better than QML. For example, relative efficiency of QML to MCMC are, in terms of the RMSE's, 0.5633, 0.7071 and 0.5909 respectively for ρ , ϕ and $\ln \sigma_v^2$.

6 Conclusions

In this article, I link the two alternative asymmetric SV models to the leverage effect. Given the definition of leverage effect, I show that the timing of the variables specified in Jacquier et al (2004) is such that it is difficult, if not impossible, to interpret the leverage effect, whereas the interpretation of leverage effect is straightforward in the conventional model. Moreover, the empirical analysis clearly demonstrates that the model of Jacquier et al is dominated by the conventional asymmetric specification. Simulations suggest that the proposed MCMC method is reliable and outperforms QML.

³The sampling properties of Bayes MCMC estimates for the SV model with the fat-tailed error distribution have been obtained in Chib et al (2002).

⁴The number of replications is small here due to the high computational cost. However, a small number of replications seems not uncommon in the SV literature. For example, Chib et al (2002) use 50 replications.

References

- [1] Andersen, T., H. Chung and B. Sorensen (1999). Efficient method of moments estimation of a stochastic volatility model: A Monte Carlo study. *Journal of Econometrics* 91, 61–87.
- [2] Berg, A., R. Meyer and J. Yu (2004). Deviance information criterion for comparing stochastic volatility models. *Journal of Business and Economic Statistics*, forthcoming.
- [3] Black, F. (1976). Studies of stock market volatility changes. *Proceedings of the American Statistical Association, Business and Economic Statistics Section* 177–181.
- [4] Chan, D., Kohn, R., and C. Kirby (2004). Multivariate stochastic volatility with leverage. University of New South Wales, Working Paper.
- [5] Chesney, M. and L.O. Scott (1989). Pricing European currency options: A comparison of the modified Black-Scholes model and a random variance model. *Journal of Financial and Quantitative Analysis* 24, 267–284.
- [6] Chib, S. (1995). Marginal likelihood from the Gibbs output. *The Journal of the American Statistical Association* 90, 1313-1321.
- [7] Chib, S. (2001). Markov Chain Monte Carlo methods: Computation and inference, in *Handbook of Econometrics*, eds by J.J. Heckman, and E. Leamer, North-Holland, Amsterdam. 5, 3569-3649.
- [8] Chib, S., Nardari, F. and N. Shephard (2002). Markov Chain Monte Carlo methods stochastic volatility models. *Journal of Econometrics* 108, 281–316.
- [9] Christie, A.A. (1982). The stochastic behavior of common stock variances. *Journal of Financial Economics* 10, 407–432.
- [10] Engle, R., Ng, V. (1993) Measuring and testing the impact of news in volatility. *Journal of Finance*, 43, 1749-1778.

- [11] Eraker, B., Johannes, M. and N. Polson (2003) The impact of jumps in volatility and returns. *Journal of Finance*, 53, 1269-1300.
- [12] Ghysels, E., Harvey, A. C., and Renault, E. (1996) Stochastic volatility. In *Statistical Models in Finance*, eds. Rao, C.R. and Maddala, G. S., North-Holland, Amsterdam, pp. 119–191.
- [13] Glosten, L.R., Jagannathan, R. and D. Runkle (1993) Relationship between the expected value and the volatility of the nominal excess return on stocks. *Journal of Finance*, 48, 1779-1802.
- [14] Harvey, A.C. and N. Shephard (1996). The estimation of an asymmetric stochastic volatility model for asset returns. *Journal of Business and Economic Statistics* 14, 429–434.
- [15] Hull, J. and A. White (1987). The pricing of options on assets with stochastic volatilities. *Journal of Finance* 42, 281–300.
- [16] Jacquier, E., N.G. Polson and P.E. Rossi (1994). Bayesian analysis of stochastic volatility models. *Journal of Business and Economic Statistics* 12, 371–389.
- [17] Jacquier, E., N.G. Polson and P.E. Rossi (2004). Bayesian analysis of stochastic volatility models with fat-tails and correlated errors. *Journal of Econometrics*, forthcoming.
- [18] Kim, S., N. Shephard and S. Chib (1998). Stochastic volatility: Likelihood inference and comparison with ARCH models. *Review of Economic Studies* 65, 361–393.
- [19] Kitagawa, G. (1996). Monte Carlo filter and smoother for Gaussian nonlinear state space models. *Journal of Computational and Graphical Statistics* 5, 1–25.
- [20] Melino, A. and S.M. Turnbull (1990). Pricing foreign currency options with stochastic volatility. *Journal of Econometrics* 45, 239–265.

- [21] Meyer, R. and J. Yu (2000). BUGS for a Bayesian analysis of stochastic volatility models. *Econometrics Journal*, 3, 198–215.
- [22] Nelson, D. (1991). Conditional heteroskedasticity in asset pricing: A new approach. *Econometrica*, 59, 347–370.
- [23] Newton, M. and A.E. Raftery (1994). Approximate Bayesian inferences by the weighted likelihood bootstrap. *Journal of the Royal Statistical Society, Series B*, 56, 3–48 (with discussion).
- [24] Shephard, N. (1996). Statistical aspects of ARCH and stochastic volatility. In Cox, D. R., Hinkley, D. V. and Barndorff-Nielson, O. E. (eds), *Time Series Models in Econometrics, Finance and Other Fields*, pp. 1-67. London: Chapman & Hall.
- [25] Spiegelhalter, D. J., Best, N. G., Carlin, B. P. and A. van der Linde (2002). Bayesian measures of model complexity and fit (with discussion). *Journal of the Royal Statistical Society, Series B*, 64, 583-639.
- [26] Wiggins, J.B. (1987) Option values under stochastic volatility: Theory and empirical estimate. *Journal of Financial Economics* 19, 351–372.

Table 1: Empirical Results for S&P500

	ASV1				ASV2			
	Mean	SD	95% CI	Ineff	Mean	SD	95% CI	Ineff
ϕ	.9720	.0091	(.9511, .9871)	131.46	.9769	.0081	(.9587, .9902)	141.48
σ_v	.1495	.020	(.1139, .1928)	206.90	.1347	.0183	(.1031, .1759)	218.51
μ	-.0688	.1278	(-.3077, .2012)	25.50	-.0246	.148	(-.2954, .2942)	39.70
ρ	-.3179	.0855	(-.4749, -.1428)	96.35	-.2559	.0941	(-.4384, -.0730)	118.36
Log Marg	-2794.587				-2803.071			

Table 2: Empirical Results of Encompassed Model for S&P500

	Mean	SD	95% CI	Ineff
ϕ	0.9761	0.0082	(0.9571, 0.9893)	149.25
σ_v	0.1356	0.0178	(0.1057, 0.1737)	215.98
μ	0.0308	0.1401	(-0.2153, 0.3385)	40.63
ρ_1	-0.3006	0.086	(-0.4718, -0.1381)	63.68
ρ_2	-0.2211	0.078	(-0.3915, -0.087)	58.10
Log Marg	-2801.720			

Table 3: Empirical Results for CRSP

	ASV1		ASV2		Encompassed Model	
	Mean	95% CI	Mean	95% CI	Mean	95% CI
ϕ	.9565	(.9375, .9755)	.9726	(.9557, .9854)	.9602	(.9362, .9787)
σ_v	.2398	(.1826, .3040)	.1819	(.1400, .2322)	.2199	(.1629, .2855)
μ	-.441	(-.6239,-.2246)	-.3218	(-.6053, .0094)	-.3756	(-.6026, -.1053)
ρ or ρ_1	-.3941	(-.5124,-.2574)			-.2820	(-.4492,-.0945)
ρ or ρ_2			-.3632	(-.5075,-.2124)	-.1845	(-.3810, -.0491)
Log Marg	-2987.312		-2991.987		-2986.438	

Table 4: Simulations for MCMC Estimates of the ASV1 Model when the Sample Size is 1000

	True Value	Mean	RMSE
ρ	-0.6	-0.564	0.085
ϕ	0.95	0.945	0.0145
σ_v	0.26	0.254	0.037
μ	0	0.0066	0.152

Table 5: Simulations to Compare MCMC and QML Estimates of the ASV1 Model when the Sample Size is 1000

	True Value	MCMC		QML	
		Mean	RMSE	Mean	RMSE
ρ	-0.9	-0.8815	0.0445	-0.911	0.079
ϕ	0.975	0.9732	0.00495	0.974	0.007
$\ln \sigma_v^2$	-4.605	-4.595	0.2086	-4.617	0.353